ing solution, wherein only colloid concentration has changed, is what then enters the brain.

Again thanks to all for the beautiful demonstration of the relevance of physical chemistry to physiology!

Elana B. Lubit, M.D., Ph.D., New York University School of Medicine, New York, New York. elana.lubit@nyumc.org

References

- 1. Jungner M, Grände PO, Mattiasson G, Bentzer P: Effects on brain edema of crystalloid and albumin fluid resuscitation after brain trauma and hemorrhage in the rat. Anesthesiology
- 2. Drummond JC: Colloid osmotic pressure and the formation of posttraumatic cerebral edema. Anesthesiology 2010; 112: 1079 - 81

(Accepted for publication August 10, 2010.)

In Reply:

I am grateful to Dr. Lubit for the kind words about the editorial¹ and for catching my slip. She is absolutely correct that in those two instances the intended word was solute rather than solvent.

John C. Drummond, M.D., F.R.C.P.C., University of California, San Diego, San Diego, California, and Veterans Affairs Medical Center, San Diego, California. jdrummond@ucsd.edu

Reference

1. Drummond JC: Colloid osmotic pressure and the formation of posttraumatic cerebral edema. Anesthesiology 2010; 112: 1079 - 80

(Accepted for publication August 10, 2010.)