Erratum

Sedation with Dexmedetomidine or Propofol Impairs Hypoxic Control of Breathing in Healthy Male Volunteers: A Nonblinded, Randomized Crossover Study: Erratum

In the article beginning on page 700 of the October 2016 issue, the phrase, "concentrations in plasma at the sedation target were 0.66 ± 0.14 and 1.26 ± 0.36 µg/ml for dexmedetomidine and propofol, respectively" is incorrect due to a publisher error. The correct phrase is "concentrations in plasma at the sedation target were 0.66 ± 0.14 ng/ml and 1.26 ± 0.36 µg/ml for dexmedetomidine and propofol, respectively."

Reference

Lodenius Å, Ebberyd A, Hårdemark Cedborg A, Hagel E, Mkrtchian S, Christensson E, Ullman J, Scheinin M, Eriksson LI, Jonsson Fagerlund M: Sedation with dexmedetomidine or propofol impairs hypoxic control of breathing in healthy male volunteers: A nonblinded, randomized crossover study. Anesthesiology 2016; 125:700–15

Erratum

"Protective Ventilation" During Anesthesia: Is It Meaningful? Erratum

In the article beginning on page 1079 of the December 2016 issue, an incorrect reference appears in the References list. Reference 25 is incorrect, and should instead be listed as: "Edmark L, Auner U, Hallen J, Lassinantti-Olowsson L, Hedenstierna G, Enlund M: A ventilation strategy during general anaesthesia to reduce postoperative atelectasis. Upsala Journal of Medical Sciences 2014; 55:75–81."

Reference

Hedenstierna G, Edmark L: "Protective ventilation" during anesthesia: Is it meaningful? Anesthesiology 2016; 125:1079-82

Erratum

All Valve Functions Are Not the Same: Erratum

In the letter beginning on page 758 of the September 2010 issue, the first author's surname was spelled incorrectly. It should have appeared as "Giordano."

Reference

Giordiano C, Gravenstein N, Rice MJ: All valve functions are not the same. Anesthesiology 2010; 113:758