
Downloaded from http://asa2.silverchair.com/anesthesiology/article-pdf/128/2/A1/364553/20180200_0-00001.pdf by guest on 10 April 2024

ANESTHESIOLOGY





ON THE COVER:

In this issue of ANESTHESIOLOGY, two original research articles and three editorial views examine the use of data in clinical decision making.

- Kheterpal et al.: Impact of a Novel Multiparameter Decision Support System on Intraoperative Processes of Care and Postoperative Outcomes, p. 272
- Liu et al.: Defining the Intrinsic Cardiac Risks of Operations to Improve Preoperative Cardiac Risk Assessments, p. 283
- Sessler: Decision Support Alerts: Importance of Validation, p. 241
- Glance et al.: Risk Prediction Tools: The Need for Greater Transparency, p. 244
- Javitt: Regulatory Landscape for Clinical Decision Support Technology, p. 247

•	THIS MONTH IN ANESTHESIOLOGY	1A
	SCIENCE, MEDICINE, AND THE ANESTHESIOLOGIST	15A
	INFOGRAPHICS IN ANESTHESIOLOGY	19A
•	EDITORIAL VIEWS	
	Decision Support Alerts: Importance of Validation D. I. Sessler	241
	Risk Prediction Tools: The Need for Greater Transparency L. G. Glance, A. W. Dick, and T. M. Osler	244
CMB	Regulatory Landscape for Clinical Decision Support Technology G. H. Javitt	247
	Reporting of Observational Research in Anesthesiology: The Importance of Data Quality: Trust but Verify A. F. Simpao and J. A. Gálvez	250
	Mitigating Microvascular Leak during Fluid Resuscitation of Hemorrhagic Shock K. R. Walley	252

- Refers to This Month in Anesthesiology
- ◆ Refers to Editorial Views
- This article has an Audio Podcast
- See Supplemental Digital Content

- CME Article
- This article has a Video Abstract
- → Part of the Letheon writing competition
- This article has a Visual Abstract

305

317

SPECIAL ARTICLE	
An Anesthesiologist's Perspective on the History of Basic Airway Management: The "Progressive" Era, 1904 to 1960 A. A. Matioc	25 4
This third installment of the history of basic airway management discusses the transitional—"progressive"—years of anesthesia (1904 to 1960). Basic airway management continued to be central to this period of emerging modern anesthesia and positive pressure ventilation.	
PERIOPERATIVE MEDICINE	

CLINICAL SCIENCE

CI

	Impact of a Novel Multiparameter Decision Support System on Intraoperative Processes of Care and Postoperative Outcomes S. Kheterpal, A. Shanks, and K. K. Tremper	272
	Most improvements were time-dependent. Decision support was associated with improved process-of-care measures compared to contemporaneous control patients, but not with improved clinical outcomes. Decision support systems should be formally evaluated because the extent to which they will enhance patient care is not obvious.	
◆◇●	Defining the Intrinsic Cardiac Risks of Operations to Improve Preoperative Cardiac Risk Assessments J. B. Liu, Y. Liu, M. E. Cohen, C. Y. Ko, and B. J. Sweitzer	283
	An analysis of 3 million surgeries in the American College of Surgeons National Surgical Quality Improvement Program registry demonstrated a broad range of procedure-specific cardiac adverse event risk for 200 commonly performed procedures. These data may advance our patient-specific risk/benefit analyses and medical decision-making.	
◆ ♦	Incidence of Artifacts and Deviating Values in Research Data Obtained from an Anesthesia Information Management System in Children A. J. Hoorweg, W. Pasma, L. van Wolfswinkel, and J. C. de Graaff	293
	In the particular anesthesia information management system used by the authors, the amount of artifacts was low for heart rate and oxygen saturation and higher for noninvasive and invasive blood pressure and end-tidal carbon dioxide. Values outside the normal range have a higher amount of artifacts than values within the normal range. The amount of artifacts varies with anesthetic technique and phase of anesthesia.	

Propofol-induced Changes in α-β Sensorimotor Cortical Connectivity M. Malekmohammadi, N. AuYong, C. M. Price, E. Tsolaki, A. E. Hudson, and N. Pouratian

Although propofol administration led to a local power increase in oscillations in both the sensory and motor cortices, the coupling between these two regions was significantly reduced. The results support the premise that propofol induces a functional disconnection between cortical areas even though local activity in these areas may increase.

Period-dependent Associations between Hypotension during and for Four Days after Noncardiac Surgery and a Composite of Myocardial Infarction and Death: A Substudy of the POISE-2 Trial

D. I. Sessler, C. S. Meyhoff, N. M. Zimmerman, G. Mao, K. Leslie, S. M. Vásquez, P. Balaji, J. Alvarez-Garcia, A. B. Cavalcanti, J. L. Parlow, P. V. Rahate, M. D. Seeberger, B. Gossetti, S. A. Walker, R. K. Premchand, R. M. Dahl, E. Duceppe, R. Rodseth, F. Botto, and P. J. Devereaux

This study determined the association between hypotension and a composite of 30-day myocardial infarction and death over three periods: (1) intraoperative, (2) remaining day of surgery, and (3) during the initial four postoperative days. Clinically important hypotension was significantly associated with a composite of myocardial infarction and death during each of three perioperative periods, even after adjustment for previous hypotension.

Cost-effectiveness Analysis of Intraoperative Cell Salvage for Obstetric Hemorrhage 328 G. Lim, V. Melnyk, F. L. Facco, J. H. Waters, and K. J. Smith

The use of cell salvage for cases at high risk for obstetric hemorrhage is economically reasonable; routine cell salvage use for all cesarean deliveries is not.

BAS

IC SCIENCE	
Alphaxalone Binds in Inner Transmembrane β^+ – α^- Interfaces of $\alpha 1\beta 3\gamma 2\gamma$ -Aminobutyric	
Acid Type A Receptors	338
A. M. Ziemba, A. Szabo, D. W. Pierce, M. Haburcak, A. T. Stern, A. Nourmahnad, E. S. Halpin, and S. A. Forman	
Alphaxalone contacts were identified in the inner transmembrane β^* – α^- intersubunit clefts of γ -aminobutyric acid type A (GABA _A) receptors. These sites are adjacent to the outer transmembrane sites where etomidate and propofol act. The results suggest that large portions of the transmembrane intersubunit clefts of GABA _A receptors are allosterically coupled to ion channel gating. These clefts form a number of distinct binding sites for pharmacologic agents that include neurosteroids and currently used intravenous anesthetics.	

■ CRITICAL CARE MEDICINE

CLINICAL SCIENCE

 Microvascular Permeability after an Acute and Chronic Salt Load in Healthy Subjects: A Randomized Open-label Crossover Intervention Study 352 N. M. G. Rorije, R. H. G. Olde Engberink, Y. Chahid, N. van Vlies, J. P. van Straalen, B. H. van den Born, H. J. Verberne, and L. Vogt Twelve healthy males followed both a low-sodium diet and a high-sodium diet for eight days each in a randomized

crossover study and received intravenous hypertonic saline infusion over the course of 30 min after the low-sodium diet. Despite similar increases in plasma sodium, chloride, and osmolality, chronic dietary sodium loading did not affect microvascular permeability, but hypertonic saline infusion increased it. Increased microvascular permeability after saline infusion coincided with decreased urinary glycosaminoglycan excretion, indicating damage to the endothelial surface layer.

BASIC SCIENCE

♦ ⊕ Wasculotide, an Angiopoietin-1 Mimetic, Restores Microcirculatory Perfusion and Microvascular Leakage and Decreases Fluid Resuscitation Requirements in Hemorrhagic Shock 361 M. Trieu, M. van Meurs, A. L. I. van Leeuwen, P. Van Slyke, V. Hoang, L. M. G. Geeraedts, Jr., C. Boer, and C. E. van den Brom

Hemorrhagic shock in rats activated the angiopoietin/Tie2 system and was associated with vascular leakage and fewer perfused capillaries. These effects were attenuated by pretreatment and posttreatment with a new angiopoeitin-1

A Comparison of Red Cell Rejuvenation versus Mechanical Washing for the Prevention of Transfusion-associated Organ Injury in Swine 375 M. J. Woźniak, S. Qureshi, N. Sullo, W. Dott, R. Cardigan, M. Wiltshire, M. Nath, N. N. Patel, T. Kumar, A. H. Goodall, and G. J. Murphy

In a porcine model, red blood cell washing along with an inosine rejuvenation solution restored red cell energy stores, reduced inflammatory responses, and reduced transfusion-associated organ injury in swine in 14-day-old stored blood.

■ EDUCATION

IMAGES IN ANESTHESIOLOGY

Tracheopharyngeal Fistula from Treated Hypopharyngeal Carcinoma	386
J. M. Soliz, DT. Truong, J. Y. Tsai, and A. T. Truong	
Large Intracranial Aneurysms in a 2-month-old Female: A Rare Occurrence with Serious	
Anesthetic Challenges	387
V. S. Tateosian, J. Smith, and S. Licata	
"Golf Ball" in the Left Ventricular Outflow Tract?	388
V. Bora, N. Odo, M. Chura, and M. E. Arthur	

	R. K. Chandrabose and N. S. Sandhu	
N	NICAL FOCUS REVIEW	
	Argatroban and Bivalirudin for Perioperative Anticoagulation in Cardiac Surgery A. Koster, D. Faraoni, and J. H. Levy	
	Argatroban and bivalirudin are used as replacement anticoagulants for heparin. The authors review clinical studies for these drugs in the perioperative setting of cardiac surgical patients including extracorporeal management and mechanical support therapy.	
/]	IEW ARTICLE	
	Multimodality Neuromonitoring in Adult Traumatic Brain Injury: A Narrative Review M. Smith	
	Multimodality monitoring allows individually tailored approaches to the management of traumatic brain injury in which treatment decisions are guided by monitored changes in physiologic variables.	
V	D TO MIND	
	Recovery Room B. Greenspan	
	One More Step R. Blomberg	
	ORRESPONDENCE Avoidance of Hyperoxemia during Cardiopulmonary Bypass: Why Does Pathophysiology Not Always Translate into Clinical Outcome? H. P. Grocott and D. Faraoni	
	Avoidance of Hyperoxemia during Cardiopulmonary Bypass: Why Does Pathophysiology Not Always Translate into Clinical Outcome?	
	Avoidance of Hyperoxemia during Cardiopulmonary Bypass: Why Does Pathophysiology Not Always Translate into Clinical Outcome? H. P. Grocott and D. Faraoni Clinical Technology and Glucose Management	
	Avoidance of Hyperoxemia during Cardiopulmonary Bypass: Why Does Pathophysiology Not Always Translate into Clinical Outcome? H. P. Grocott and D. Faraoni Clinical Technology and Glucose Management D. Cattano In Reply	
	Avoidance of Hyperoxemia during Cardiopulmonary Bypass: Why Does Pathophysiology Not Always Translate into Clinical Outcome? H. P. Grocott and D. Faraoni Clinical Technology and Glucose Management D. Cattano In Reply J. M. Ehrenfeld Perioperative Pain Management for Total Knee Arthroplasty: Need More Focus	
	Avoidance of Hyperoxemia during Cardiopulmonary Bypass: Why Does Pathophysiology Not Always Translate into Clinical Outcome? H. P. Grocott and D. Faraoni Clinical Technology and Glucose Management D. Cattano In Reply J. M. Ehrenfeld Perioperative Pain Management for Total Knee Arthroplasty: Need More Focus on the Forest and Less on the Trees	
	Avoidance of Hyperoxemia during Cardiopulmonary Bypass: Why Does Pathophysiology Not Always Translate into Clinical Outcome? H. P. Grocott and D. Faraoni Clinical Technology and Glucose Management D. Cattano In Reply J. M. Ehrenfeld Perioperative Pain Management for Total Knee Arthroplasty: Need More Focus on the Forest and Less on the Trees C. A. J. Webb, S. Madison, S. B. Goodman, E. R. Mariano, and JL. Horn In Reply	
	Avoidance of Hyperoxemia during Cardiopulmonary Bypass: Why Does Pathophysiology Not Always Translate into Clinical Outcome? H. P. Grocott and D. Faraoni Clinical Technology and Glucose Management D. Cattano In Reply J. M. Ehrenfeld Perioperative Pain Management for Total Knee Arthroplasty: Need More Focus on the Forest and Less on the Trees C. A. J. Webb, S. Madison, S. B. Goodman, E. R. Mariano, and JL. Horn In Reply A. Sulieman Terkawi, E. C. Nemergut, and D. I. Sessler Solvent Matters!	

Unusual Catheter Placement on Chest Radiograph: Two Dimensions, Two Possible Locations (or More)

424

A. K. Swenson Schalkwyk and G. B. Hammer

In Reply

R. Deshpande and V. Kurup

■ REVIEWS OF EDUCATIONAL MATERIAL

426

■ ANNOUNCEMENTS

427

■ CAREERS & EVENTS

21A

INSTRUCTIONS FOR AUTHORS

The most recently updated version of the Instructions for Authors is available at www.anesthesiology.org. Please refer to the Instructions for the preparation of any material for submission to ANESTHESIOLOGY.

Manuscripts submitted for consideration for publication must be submitted in electronic format. The preferred method is via the Journal's Web site (http://www.anesthesiology.org). Detailed directions for submissions and the most recent version of the Instructions for Authors can be found on the Web site (http://www.anesthesiology.org). Books and educational materials should be sent to Alan Jay Schwartz, M.D., M.S.Ed., Director of Education, Department of Anesthesiology and Critical Care Medicine, The Children's Hospital of Philadelphia, 34th Street and Civic Center Blvd., Room 9327, Philadelphia, Pennsylvania 19104-4399. Requests for permission to duplicate materials published in ANESTHESIOLOGY should be submitted in electronic format, to the Permissions Department (journalpermissions@lww.com). Advertising and related correspondence should be addressed to Advertising Manager, ANESTHESIOLOGY, Wolters Kluwer Health, Inc., Two Commerce Square, 2001 Market Street, Philadelphia, Pennsylvania 19103 (Web site: http://www.wkadcenter.com/). Publication of an advertisement in ANESTHESIOLOGY does not constitute endorsement by the Society or Wolters Kluwer Health, Inc. of the product or service described therein or of any representations made by the advertiser with respect to the product or service.

ANESTHESIOLOGY (ISSN 0003-3022) is published monthly by Wolters Kluwer Health, Inc., 14700 Citicorp Drive, Bldg 3, Hagerstown, MD 21742. Business office: Two Commerce Square, 2001 Market Street, Philadelphia, PA 19103. Periodicals postage paid at Hagerstown, MD, and at additional mailing offices. Copyright © 2018, the American Society of Anesthesiologists, Inc.

Annual Subscription Rates: United States—\$930 Individual, \$2054 Institution, \$374 In-training. Rest of World—\$981 Individual, \$2281 Institution, \$374 In-training. Single copy rate \$207. Subscriptions outside of North America must add \$55 for airfreight delivery. Adstate sales tax, where applicable. The GST tax of 7% must be added to all orders shipped to Canada (Wolters Kluwer Health, Inc.'s GST Identification #895524239, Publications Mail Agreement #1119672). Indicate in-training status and name of institution. Institution rates apply to libraries, hospitals, corporations, and partnerships of three or more individuals. Subscription prices outside the United States must be prepaid. Prices subject to change without notice. Subscriptions will begin with currently available issue unless otherwise requested. Visit us online at www.lww.com.

Individual and in-training subscription rates include print and access to the online version. Online-only subscriptions for individuals (\$308) and persons in training (\$308) are available to nonmembers and may be ordered by downloading a copy of the Online Subscription FAXback Form from the Web site, completing the information requested, and faxing the completed form to 301-223-2400. Institutional rates are for print only; online subscription are available via Ovid. Institutions can choose to purchase a print and online subscription together for a discounted rate. Institutions that wish to purchase a print subscription, please contact Wolters Kluwer Health, Inc., 14700 Citicorp Drive, Bldg 3, Hagerstown, MD 21742; phone: 800-638-3030; fax: 301-223-2400. Institutions that wish to purchase an online

subscription or online with print, please contact the Ovid Regional Sales Office near you or visit www.ovid.com/site/index.jsp and select Contact and Locations.

Address for non-member subscription information, orders, or change of address (except Japan): Wolters Kluwer Health, Inc., 14700 Citicorp Drive, Bldg 3, Hagerstown, MD 21742; phone: 800-638-3030; fax: 301-223-2400. In Japan, contact Wolters Kluwer Health Japan Co., Ltd., Forecast Mita Building 5th floor, 1-3-31 Mita Minato-ku, Tokyo, Japan 108-0073; phone: +81 3 5427 1969; email: journal@wkjapan.co.jp.

Address for member subscription information, orders, or change of address: Members of the American Society of Anesthesiologists receive the print and online journal with their membership. To become a member or provide a change of address, please contact the American Society of Anesthesiologists, 1061 American Lane, Schaumburg, Illinois 60173-4973; phone: 847-825-5586; fax: 847-825-1692; email: membership@ASAhq. org. For all other membership inquiries, contact Wolters Kluwer Health, Inc., Customer Service Department, P.O. Box 1610, Hagerstown, MD 21740; phone: 800-638-3030; fax: 301-223-2400.

Postmaster: Send address changes to Anesthesiology, P.O. BOX 1610, Hagerstown, MD 21740.

Advertising: Please contact Hilary Druker, Advertising Field Sales Representative, Health Learning, Research & Practice, Medical Journals, Wolters Kluwer Health, Inc.; phone: 609-304-9187; e-mail: Hilary. Druker@wolterskluwer.com. For classified advertising: Joe Anzuena, Recruitment Advertising Representative, Wolters Kluwer Health, Inc., Two Commerce Square, 2001 Market Street, Philadelphia, PA 19103; phone: 215-521-8532; fax: 215-701-2410; e-mail: Joe.Anzuena@wolterskluwer.com.