- Shibata S, Briggs AH: Mechanical activity of vascular smooth muscle under anoxia. Amer J Physiol 212:981, 1967
- Ross JE, Fairchild HM, Weldy O, ct al.: Autoregulation of blood flow by oxygen lack. Amer J Physiol 202:21, 1962
- Kahler RL, Goldblatt A, Braunwald E: Effects of acute hypoxia on systemic venous and arterial systems and on myocardial contractile force. J Clin Invest 41:1553, 1962
- Nejad NS, Ogden E: Effect of hypoxia on the myocardium in heartlung preparation. Proc Soc Exp Biol Med 126:767, 1967
- Ng ML, Levy MN, DeGeest H, et al.: Effects of myocardial hypoxia on left ventricular performance. Amer J Physiol 211:43, 1966
- Noble MIM, Trenchard D, Guz A: Effect of changes in Paco₂ and Pao₂ on cardiac performance in conscious dogs. J Appl Physiol 22:147, 1967
- Biscoe TJ, Purves MJ: Observations on carotid body chemoreceptor activity and cervical sympathetic discharge in the cat. J Physiol (London) 190:413, 1967
- Chalmers JP, Isbister JP, Korner PI, et al.: Role of sympathetic nervous system response of rabbit to arterial hypoxia. J Physiol (London) 181:175, 1965
- Daly MD, Scott MJ: Cardiovascular response to stimulation of the carotid body chemoreceptor in dogs. J Physiol (London) 165: 179, 1963
- Neil E.: Peripheral receptors concerned in the response to hypoxia, International Symposium on Cardiovascular and Respiratory Effects of Hypoxia, Kingston, Ontario. New York, Hafner, 1966, p 110
- Penna M, Soma L, Aviado DM: Role of carotid and aortic bodies in mediating the increase in cardiac output during anesthesia. Amer J Physiol 203:133, 1962
- Cross BA, Silver IA: Central activation of sympathoadrenal system by hypoxia and hypercapnia. J Endocr 24:91, 1962
- Richardson DW, Kontos HA, Roper AJ, et al.: Modification by β-adrenergic blockade of

- circulatory responses to acute hypoxia in man. J Clin Invest 46:77, 1967
- Goldfien A, Ganong WF: Qualitative effects of various stimuli on adrenal medullary secretion. Fed Proc 18:211, 1959
- Hatcher JD, Jennings DB: Mechanisms regulating cardiovascular response to hypoxia, International Symposium on Cardiovascular and Respiratory Effects of Hypoxia, Kingston, Ontario. New York, Hafner, 1966
- Price HL, Price ML: Has halothane a predominant circulatory action? ANESTHESIOLocy 27: 55, 1966
- Black GW, McArdle L: The effects of halothane on the peripheral circulation in man. Brit J Anaesth 34:2, 1962
- Biscoe TJ, Millar RA: Effects of inhalation anesthetics on carotid body chemoreceptor activity. Brit J Anaesth 40:2, 1968
- Millar RA, Warden JC, Cooperman LH, et al.: Central sympathetic discharge and mean arterial pressure during halothane anesthesia. Brit J Anaesth 41:918, 1969
- Price HL, Linde HW, Jones RE, et al.: Sympathoadrenal responses to general anesthesia in man and their relation to hemodynamics. ANESTHESIOLOGY 20:563, 1959
- Downing SE: Autonomic influences on cardiac function in systemic hypoxia, International Symposium on the Cardiovascular and Respiratory Effects of Hypoxia, Kingston, Ontario. New York, Hafner, 1966, p 208
- Mitchell RA, Bainton CR, Severinghaus JW, et al.: Respiratory response and CSF pil during disturbances in blood acid-base balance in awake dogs with denervated aortic and carotid bodies. Physiologist 7:208, 1964
- Dell PC: In Henry Ford Hospital International Symposium, "The Reticular Formation of the Brain." Boston, Little, Brown and Co., 1957, p 372
- Duke P, Wade JG, Hickey R, et al.: The effect of age on baroreceptor function in man. Presented at the American Society of Anesthesiologists Scientific Session, San Francisco, 1969

Anesthesia

ASPIRATION PNEUMONIA A pregnant woman aspirated highly acid gastric contents during anesthesia for a cervical circlage procedure after she had received alcohol intravenously to stop premature labor. Pulmonary lavage extended and intensified the pneumonitis. She required several days of intensive pulmonary therapy with intermittent positive-pressure ventilation monitored by frequent blood-gas determinations, in addition to treatment with steroids and antibiotics. Alcohol is a potent gastric acid secretagogue. Patients in premature labor treated with alcohol intravenously must be considered to have stomach contents. (Greenhouse, B. S., and others: Aspiration Pneumonia following Intravenous Administration of Alcohol during Labor, J.A.M.A. 210: 2393 (Dec.) 1969.)