

SUBJECT INDEX TO VOLUME 64

Subject entries for all materials in the JOURNAL appear in this index. Entries from the JOURNAL departments are identified as follows: Book Reviews—(BR); Clinical Reports—(CR); Correspondence—(CO); Editorial Views—(EV); Laboratory Reports—(LR); Original Article—(OA); Review Article—(RA); Medical Intelligence—(MI); Special Article—(SA); Reports of Scientific Meetings—(SM).

A

Academics

anesthesiology, status of women in (SA) [Wilkinson & Linde], 496

Acetylcholine, *See under Neurotransmitters; Receptors*

Acid analogues

baclofen

during general anesthesia, bradycardia and hypotension associated with (CR) [Sill, Schumacher, Southorn, Reuter & Yaksh], 255

Acid-base equilibrium

respiratory acidosis

in response to moderate changes in P_{aCO_2} after cardiopulmonary bypass (OA) [Salmenperä & Heinonen], 311

respiratory alkalosis

in response to moderate changes in P_{aCO_2} after cardiopulmonary bypass (OA) [Salmenperä & Heinonen], 311

Action potential, *See under Heart*

Adenosine, *See under Anesthetic techniques, hypotension, induced*

Adrenal medulla, *See under Sympathetic nervous system*

Adrenergic receptors, *See under Receptors; Sympathetic nervous system*

Aerosols

bronchodilator, delivery of, in anesthesia circuit (CO) [Diamond], 531

Afterload, *See under Heart*

Age factors

prematurity

and cardiovascular changes in neonates receiving isoflurane, halothane, fentanyl, and ketamine (OA) [Friesen & Henry], 238

AIDS, *See under Complications*

Air embolism, *See under Embolism*

Airway, *See also under Muscle*

perforation

following laser surgery (CR) [Emery], 120

resistance

to histamine following general anesthesia (OA) [Amyot, Michoud, St-Jean, Champleau & Couture], 758

tubular, response to, in normal subjects and postoperative patients (OA) [Weissman, Askanazi, Rosenbaum, Damask, Hyman & Kinney], 353

rupture with disposable double-lumen tube (CO) [Brodsky, Shulman & Mark], 415

suctioning

effect of lidocaine on ICP response to (CR) [Yano, Nishiyama, Yokota, Kato, Yamamoto & Otsuka], 651

tongue

hemimacroglossia and unilateral necrosis of, in long-duration neurosurgical procedure, 845

Airway occlusion pressure, *See under Ventilation*

Airway pressure, *See under Monitoring*

Airway response, *See under Histamine*

Alarms, *See under Complications; Equipment; Monitoring*

Alcohols

in study of general anesthetics on acetylcholine receptor-rich membranes from *Torpedo californica* (OA) [Firestone, Sauter, Branswell & Miller], 694

Alcuronium, *See under Neuromuscular relaxants*

Alfentanil, *See under Analgesics, narcotic; Anesthetics, intravenous*

Alpha-adrenergic agonist, *See under Sympathetic nervous system*

Amines, *See under Anesthetics, local*

Amino acids, *See under Brain; Liver*

Amniotic fluid, *See under Embolism*

Analgesics

alfentanil

concentration versus effects in dogs (OA) [Arndt, Bednarski & Parasher], 345

rigidity induced by, physiology of (OA) [Benthuyssen, Smith, Sanford, Head & Dec-Silver], 440

fentanyl

potency *versus* cost of (CO) [Aldrete], 843

potency *versus* cost of (CO) [Marina], 842

potency *versus* cost of (CO) [Polta], 843

intravenous

meperidine

effects of, on hemodynamics, plasma catecholamines, angiotensin I, aldosterone, and histamine concentrations in elderly men (CR) [Cozian, Pinaud, Lepage, Lhoste & Souron], 815

methadone

and morphine, compared in postoperative pain control (OA) [Gourlay, Willis & Lamberty], 322

morphine

cardiac pain induced by? (CO) [Maltby & Williams], 527

and methadone, compared in postoperative pain control (OA) [Gourlay, Willis & Lamberty], 322

narcotic

alfentanil

intrathecally administered in rat and cat, studies of pharmacology and pathology of (OA) [Yaksh, Noueihed & Durant], 54

buprenorphine

early respiratory depression resistant to naloxone following (CR) [Knape], 382

complications

resistant to naloxone following epidural buprenorphine (CR) [Knape], 382

fentanyl

epidural injections of, in chronically implanted rats (OA) [Durant & Yaksh], 43

intrathecally administered in rat and cat, studies of pharmacology and pathology of (OA) [Yaksh, Noueihed & Durant], 54

in patients undergoing abdominal aortic surgery (OA) [Hudson, Thomson, Cannon, Friesen & Meatherall], 334

- prolonged antagonism of opioid action with intravenous nal-mefene in man (OA) [Gal & DiFazio], 175
- lofentanil**
epidural injections of, in chronically implanted rats (OA) [Durant & Yaksh], 43
intrathecally administered in rat and cat, studies of pharmacology and pathology of (OA) [Yaksh, Noueihed & Durant], 54
- morphine**
epidural injections of, in chronically implanted rats (OA) [Durant & Yaksh], 43
influence of naloxone on analgesia and respiratory depression following (OA) [Rawal, Schött, Dahlström, Inturrisi, Tandon, Sjöstrand & Wennhager], 194
intrathecally administered in rat and cat, studies of pharmacology and pathology of (OA) [Yaksh, Noueihed & Durant], 54
potency *versus* cost of (CO) [Aldrete], 843
potency *versus* cost of (CO) [Marina], 842
potency *versus* cost of (CO) [Polta], 843
- respiratory depression**
resistant to naloxone following epidural buprenorphine (CR) [Knape], 382
- sufentanil**
intrathecally administered in rat and cat, studies of pharmacology and pathology of (OA) [Yaksh, Noueihed & Durant], 54
- tolerance**
in epidural injections in chronically implanted rats (OA) [Durant & Yaksh], 43
- nonnarcotic**
aspirin
usefulness of post-aspirin bleeding time in use of (CR) [Hindman & Koka], 368
- sufentanil**
effects of, on spinal pain-transmission neurons in cats (OA) [Aoki, Senami, Kitahata & Collins], 225
potency *versus* cost of (CO) [Aldrete], 843
potency *versus* cost of (CO) [Marina], 842
potency *versus* cost of (CO) [Polta], 843
- Analyzers, See under Equipment**
Anesthesia, See also under History; Induction
- cardiac**
and barbiturate cerebral protection during cardiopulmonary bypass (OA) [Nussmeier, Arlund & Slogoff], 165
and intraoperative tension pneumopericardium with tamponade after ligation of patent ductus arteriosus in premature neonate (CR) [Hickey], 641
- cardiovascular**
and barbiturate-induced brain protection in man (EV) [Michenfelder], 140
halothane in, and myocardial ischemia (OA) [Buffington], 632
- cardiovascular effects**
in preterm neonates (OA) [Friesen & Henry], 238
- costs**
differences in (CO) [Aldrete & Hendricks], 656
- history**
in military surgery (CO) [Tverskoy], 661
- libraries, departmental**
dyscosmesis delays disappearance (CO) [Smith], 133
- military**
history of (CO) [Tverskoy], 661
- morbidity**
fetal, and surgery during pregnancy (OA) [Duncan, Pope, Cohen & Greer], 790
- neurosurgical**
and intraoperative glucose during neurosurgery (OA) [Sieber, Smith, Kupferberg, Crosby, Uzzell, Buzby, March & Nann], 453
isoflurane and intracranial pressure during (CO) [Finck], 833
isoflurane and intracranial pressure during (CO) [Grosslight & Bedford], 834
long-duration, hemimacroglossia and unilateral ischemic necrosis of tongue in (CO) [Teepie, Maroon & Rueger], 845
PEEP, air embolism, and atrial pressures during (OA) [Pearl & Larson], 724
- obstetric**
cesarean section
bilateral uterine displacement device for (CO) [Curmarnik & Horowitz], 654
for cesarean section in patients with genital herpes infections (CR) [Ramanathan, Sheth & Turndorf], 807
epinephrine for, in gravid ewes (OA) [Hood, Dewan & James], 610
peripartum, succinylcholine pharmacodynamics in (OA) [Leighton, Cheek, Gross, Apfelbaum, Shantz, Gutsche & Rosenberg], 202
should end-tidal P_{CO₂} be standard of care for? (CO) [Choi, Tremper & Garber], 829
and surgery, fetal risk of (OA) [Duncan, Pope, Cohen & Greer], 790
trimethaphan for use in preeclampsia during (CO) [Sosis & Leighton], 657
- ophthalmic**
lidocaine in, for control of coughing during standby cataract surgery (CO) [Fenton], 847
phenylephrine eyedrops and (CR) [Van Der Spek & Hantler], 812
- outpatient**
for infants during radiotherapy: an insufflation technique (CR) [Brett, Wara & Hamilton], 402
- pediatric**
continuous infusion of atracurium in (OA) [Goudsouzian, Martyn, Rudd, Liu & Lineberry], 171
difficult, fiberoptic bronchoscope in (CO) [Berthelsen & Jacobsen], 668
difficult, fiberoptic bronchoscope in (CO) [Laravuso & Perloff], 668
hemodynamic and cardiovascular effects of isoflurane and halothane in (OA) [Wolf, Neal & Peterson], 328
for acute epiglottitis (CO) [Williams], 663
for infants during radiotherapy: an insufflation technique (CR) [Brett, Wara & Hamilton], 402
and intraoperative tension pneumopericardium with tamponade after ligation of patent ductus arteriosus in premature neonate (CR) [Hickey], 641
- mask induction**
"fruit-flavored," for children (CO) [Yamashita & Motokawa], 837
in midline facial defects, method to secure endotracheal tube for (CR) [Jobes & Nicolson], 643
preterm neonates using isoflurane, halothane, fentanyl, and ketamine, cardiovascular changes in (OA) [Friesen & Henry], 238
sensitivity of neonatal rat atrial contraction to (OA) [Rao, Boyer, Krishna & Paradise], 13
and simple method for warming intravenous fluid in infants (CO) [Rosen, Rosen & Broadman], 133
spinal, in premature infants recovering from respiratory distress

- syndrome (CR) [Harnik, Hoy, Potolicchio, Stewart & Siegelman], 95
- tracheo-bronchial angles in infants and children and (CR) [Kubota, Toyoda, Nagata, Kubota, Sawada, Murakawa & Fujimori], 374
- potency**
- fentanyl**
- and cost of (CO) [Marina], 842
- versus* cost of (CO) [Polta], 843
- sufentanil**
- and cost (CO) [Aldrete], 843
- and cost (CO) [Marina], 842
- versus* cost of (CO) [Polta], 843
- pregnancy**
- and surgery, fetal risk of (OA) [Duncan, Pope, Cohen & Greer], 790
- radiation therapy**
- and remote monitoring for (CR) [Bashein, Russell & Momii], 804
- surgical**
- introduction of (CO) [Fink], 296
- teratology**
- and surgery during pregnancy (OA) [Duncan, Pope, Cohen & Greer], 790
- therapeutic**
- epidural blood patch (CR) [Szeinfeld, Ihmeidan, Moser, Machado, Klose & Serafini], 820
- thoracic**
- end-tidal CO₂ analyzers in proper positioning of double-lumen tubes (CO) [Shafieha, Sit, Kartha, Sabnis, Hajianpour, Pappas, Yu, Elam & Balagot], 844
- tip of double-lumen endotracheal tube wedged in left lower lobe bronchus (CO) [Greene & Gutierrez], 406
- Anesthesia records, *See under* Records**
- Anesthesiologists**
- women, status of, in academic anesthesiology (SA) [Wilkinson & Linde], 496
- Anesthesiology**
- academic, status of women in (SA) [Wilkinson & Linde], 496
- Anesthetic**
- volatile**
- halothane**
- does not alter left ventricular compliance (OA) [Greene & Gerson], 230
- Anesthetic techniques**
- blood patch**
- epidural (CR) [Szeinfeld, Ihmeidan, Moser, Machado, Klose & Serafini], 820
- continuous infusion**
- alfentanil and fentanyl compared in, for outpatient anesthesia (CR) [White, Coe, Shafer & Sung], 99
- midazolam in, in intensive care unit (CR) [Shapiro, Westphal, White, Sladen & Rosenthal], 394
- endobronchial**
- tip of double-lumen endotracheal tube wedged in left lower lobe bronchus (CO) [Greene & Gutierrez], 406
- endobronchial intubation**
- proper positioning of double-lumen tubes, end-tidal CO₂ analyzers in (CO) [Shafieha, Sit, Kartha, Sabnis, Hajianpour, Pappas, Yu, Elam & Balagot], 844
- endotracheal**
- blind (CO) [Shapiro & Unger], 297
- using lighted stylet, compared with direct laryngoscopic technique (CR) [Ellis, Jakymec, Kaplan, Stewart, Freeman, Bleyaert & Berkebile], 823
- epidural**
- benefits of continuous intercostal nerve block over (CO) [Middaugh, Bauman & Menk], 670
- benefits of continuous intercostal nerve block over (CO) [Murphy], 669
- for chronic pain management facilitated by field block (CO) [Catchlove], 536
- comparison of lidocaine hydrocarbonate and lidocaine hydrochloride for (CO) [Bromage & Nickel], 126
- comparison of lidocaine hydrocarbonate and lidocaine hydrochloride for (CO) [Cole & McMorland], 126
- epinephrine for intravenous placement in, effects of, in gravid ewes (OA) [Hood, Dewan & James], 610
- method to prevent heel sores during (CO) [Brighthouse], 536
- morphine in, influence of naloxone on analgesia and respiratory depression following (OA) [Rawal, Schött, Dahlström, Inturrisi, Tandon, Sjöstrand & Wennhager], 194
- subdural catheterized in—probably not (CO) [Redick], 838
- subdural catheterized in—probably not (CO) [Stevens], 839
- subdural catheterized in—probably not (CO) [West], 838
- of test dose containing epinephrine, monitoring maternal heart rate during (CO) [Chestnut & Wiener], 839
- and venous return, influence on baroreflex control of heart rate (OA) [Baron, Decaux-Jacotot, Edouard, Berdeaux & Samii], 188
- epidural narcotic**
- in chronically implanted rats: pharmacologic and pathologic study (OA) [Durant & Yaksh], 43
- hypotension**
- isoflurane-induced, effect of, on cerebral blood flow and cerebral metabolic rate for oxygen (OA) [Newman, Gelb & Lam], 307
- hypotension, induced**
- adenosine**
- cerebral oxygen tension in rats during (OA) [Seyde & Longnecker], 480
- nitroprusside**
- cerebral oxygen tension in rats during (OA) [Seyde & Longnecker], 480
- infiltration**
- for chronic pain management facilitated by field block (CO) [Catchlove], 536
- insufflation**
- anesthesia for infants during radiotherapy (CR) [Brett, Wara & Hamilton], 402
- intrathecal**
- in studies of pharmacology and pathology of 4-anilinopiperidine analogues and morphine in rat and cat (OA) [Yaksh, Noueihed & Durant], 54
- intravenous regional**
- for surgery on foot and ankle (CR) [Nusbaum & Hamelberg], 91
- intubation technique**
- tip of double-lumen endotracheal tube wedged in left lower lobe bronchus (CO) [Greene & Gutierrez], 406
- lighted stylet**
- guided orotracheal intubation using, comparison with direct laryngoscopic technique (CR) [Ellis, Jakymec, Kaplan, Stewart, Freeman, Bleyaert & Berkebile], 823
- lumbar**
- for obstetrics, efficacy of 1.5% lidocaine with 7.5% dextrose and epinephrine in (CR) [Abraham, Harris, Maxwell & Kaplow], 116
- lumbar epidural**
- blood patch (CR) [Szeinfeld, Ihmeidan, Moser, Machado, Klose & Serafini], 820

- mask induction**
"fruit-flavored," for children (CO) [Yamashita & Motokawa], 837
- opiate**
in studies of pharmacology and pathology of 4-anilinopiperidine analogues and morphine in rat and cat (OA) [Yaksh, Noueihed & Durant], 54
- orotracheal**
guided, using lighted stylet, comparison with direct laryngoscopic technique (CR) [Ellis, Jakymec, Kaplan, Stewart, Freeman, Bleyaert & Berkebile], 823
- peridural**
lumbar
buprenorphine in, early respiratory depression resistant to naloxone following (CR) [Knapc], 382
for obstetrics, efficacy of 1.5% lidocaine with 7.5% dextrose and epinephrine in (CR) [Abraham, Harris, Maxwell & Kaplow], 116
- priming principle**
refining of, for vecuronium during rapid-sequence induction of anesthesia (OA) [Taboada, Rupp & Miller], 243
- puncture**
percutaneous, of internal jugular vein, real-time ultrasonic guidance for (CO) [Yonei, Nonoue & Sari], 830
- rapid sequence**
refining priming principle for vecuronium during (OA) [Taboada, Rupp & Miller], 243
- regional**
brachial plexus block
incidence of Horner syndrome with (CO) [Al-Khafaji & Elias], 127
for chronic pain management facilitated by field block (CO) [Catchlove], 536
- intercostal**
continuous (CO) [Middaugh, Bauman & Menk], 670
continuous (CO) [Murphy], 669
- intravenous**
confusion regarding experimental studies of (CO) [Grice, Morrell & Balestrieri], 526
- stellate block**
seizure following, after negative aspiration and test dose (CO) [Ellis & Ramamurthy], 533
- spinal**
for chronic pain management facilitated by field block (CO) [Catchlove], 536
with meperidine, effects in elderly men (CR) [Cozian, Pinaud, Lepage, Lhoste & Souron], 815
in premature infants recovering from respiratory distress syndrome (CR) [Harnik, Hoy, Potolicchio, Stewart & Siegelman], 95
and prolonged diabetes insipidus subsequent to chemical meningitis (CR) [Garfield, Andriole, Vetto & Richie], 253
- spinal narcotics**
sufentanil in, effects on spinal pain-transmission neurons in cats (OA) [Aoki, Senami, Kitahata & Collins], 225
- sympathetic block**
neurolytic
in Raynaud's phenomenon (CR) [Skeehan & Cory], 119
- Anesthetic toxicity, See under Toxicity**
- Anesthetics**
gases
nitrous oxide
carcinogen bioassay of, in mice (OA) [Baden, Kundomal, Luttrupp, Mazze & Kosek], 747
cell proliferation in developing brain after brief exposure to (OA) [Rodier, Aschner, Lewis & Koeter], 680
influence of, on methionine, S-adenosylmethionine and other amino acids (OA) [Viña, Davis & Hawkins], 490
reproductive and teratogenic effects of, in Sprague-Dawley rats (OA) [Mazze, Fujinaga, Rice, Harris & Baden], 339
in study of power spectrum changes during induction with enflurane (OA) [Levy], 688
- intravenous**
alfentanil
and fentanyl compared for outpatient anesthesia (CR) [White, Coe, Shafer & Sung], 99
rigidity induced by, physiology of (OA) [Benthuysen, Smith, Sanford, Head & Dec-Silver], 440
- diazepam**
variability of respiratory response to (OA) [Bailey, Andriano, Goldman, Stanley & Pace], 460
- droperidol**
pharmacokinetics of, in anesthetized patients (OA) [Fischler, Bonnet, Trang, Jacob, Levron, Flaisler & Vourc'h], 486
- etomidate**
regional brain glucose utilization in rats during (OA) [Davis, Mans, Biebuyck & Hawkins], 751
- fentanyl**
and alfentanil compared for outpatient anesthesia (CR) [White, Coe, Shafer & Sung], 99
coronary perfusion scans during anesthetic induction using (OA) [Kleinman, Henkin, Glisson, El-Etr, Bakhos, Sullivan, Montoya & Pifarre], 157
induction of, effects of clonidine on narcotic requirements and hemodynamic response during (OA) [Ghignone, Quintin, Duke, Kehler & Calvillo], 36
interchanging of, with sufentanil, potential hazard of (CO) [Griffiths], 410
interchanging of, with sufentanil, potential hazard of (CO) [Ward & Sanford], 410
and pancuronium and myocardial ischemia (CO) [Levy], 659
and pancuronium and myocardial ischemia (CO) [Thomson & Putnins], 660
in patients undergoing abdominal aortic surgery (OA) [Hudson, Thomson, Cannon, Friesen & Meatherall], 334
potency *versus* cost of (CO) [Polta], 843
prophylactic nitroglycerin during coronary artery bypass surgery with (OA) [Gallagher, Moore, Jose, Botros & Clark], 785
in study of potency *versus* cost of narcotics (CO) [Aldrete], 843
in study of potency *versus* cost of narcotics (CO) [Marina], 842
- flunitrazepam**
physostigmine antagonism of acute intoxication by (OA) [Vatashsky, Beilin, Razin & Weinstock], 248
- ketamine**
induction and intubation, heart rate and blood pressure effects of esmolol after (OA) [Gold, Brown, Coverman & Herrington], 718
and monitoring for pediatric radiation therapy (CO) [Davies], 406
- ketamine isomers**
differential effects of, on neuronal and extraneuronal catecholamine uptake mechanisms (LR) [Lundy, Lockwood, Thompson & Frew], 359
- midazolam**
effects of, on coronary circulation, in coronary artery disease (OA) [Marty, Nitenberg, Blanchet, Zouioueche & Desmonts], 206
for sedation in intensive care unit (CR) [Shapiro, Westphal, White, Sladen & Rosenthal], 394

morphine

cardiac pain induced by? (CO) [Maltby & Williams], 527

sufentanil

interchanging of, with fentanyl, potential hazard of (CO) [Griffiths], 410

interchanging of, with fentanyl, potential hazard of (CO) [Ward & Sanford], 410

potency of (CO) [Goldberg & McKenna], 667

potency of (CO) [Griffiths], 667

potency of (CO) [Hilberman & Hyer], 665

potency *versus* cost of (CO) [Polta], 843

in study of potency *versus* cost of narcotics (CO) [Aldrete], 843

in study of potency *versus* cost of narcotics (CO) [Marina], 842

with vecuronium, rapid administration of, bradycardia and asystole following (CR) [Starr, Sethna & Estafanous], 521

thiameylal

prolonged hyporesponsiveness of airway smooth muscle to histamine following (OA) [Amyot, Michoud, St-Jean, Chapleau & Couture], 758

thiopental

for cerebral protection during cardiopulmonary bypass (OA) [Nussmeier, Arlund & Slogoff], 165

in demonstration of barbiturate-induced brain protection in man (EV) [Michenfelder], 140

local

administered topically: sterile or not? (CO) [Halevy], 535

amides

in malignant hyperthermia (CO) [Moore], 294

benzocaine

dual effect of, on rhodopsin (OA) [Mashimo, Abe & Yoshiya], 447

methemoglobinemia induced by, in Sprague-Dawley rats (CO) [Engelbach & Harp], 132

bupivacaine

dual effect of, on rhodopsin (OA) [Mashimo, Abe & Yoshiya], 447

epidural injections of, in chronically implanted rats (OA) [Durant & Yaksh], 43

neurotoxicity of: altered perineurial permeability, edema, and nerve fiber injury (OA) [Myers, Kalichman, Reisner & Powell], 29

chloroprocaine

neurotoxicity of: altered perineurial permeability, edema, and nerve fiber injury (OA) [Myers, Kalichman, Reisner & Powell], 29

cocaine

in comparative study, of dilation of nasal passage (CR) [Sessler, Vitaliti, Cooper, Jones, Powell & Pesko], 274

and introduction of surgical local anesthesia (CO) [Fink], 296

dibucaine

dual effect of, on rhodopsin (OA) [Mashimo, Abe & Yoshiya], 447

esters

in malignant hyperthermia (CO) [Moore], 294

and introduction of surgical local anesthesia (CO) [Fink], 296

lidocaine

1.5%, with 7.5% dextrose and epinephrine, efficacy of, as test dose for obstetrics (CR) [Abraham, Harris, Maxwell & Karpow], 116

in comparative study, of dilation of nasal passage (CR) [Sessler, Vitaliti, Cooper, Jones, Powell & Pesko], 274

for control of coughing during standby cataract surgery (CO) [Fenton], 847

depresses synaptic activity in rat hippocampal slice (LR) [Schurr, Spears, Reid, West, Edmonds & Rigor], 501

dual effect of, on rhodopsin (OA) [Mashimo, Abe & Yoshiya], 447

effect of, on ICP response to endotracheal suctioning (CR) [Yano, Nishiyama, Yokota, Kato, Yamamoto & Otsuka], 651

effects of myocardial contractility and baroreflex control of heart rate in dogs (OA) [Edouard, Berdeaux, Langlois, Samii, Giudicelli & Noviant], 316

neurotoxicity of: altered perineurial permeability, edema, and nerve fiber injury (OA) [Myers, Kalichman, Reisner & Powell], 29

seizures induced by, local cerebral blood flow during (OA) [Tommasino, Maekawa & Shapiro], 771

lidocaine hydrocarbonate

and lidocaine hydrochloride, compared for epidural blockade (CO) [Bromage & Nickel], 126

and lidocaine hydrochloride, compared for epidural blockade (CO) [Cole & McMorland], 126

lidocaine hydrochloride

and lidocaine hydrocarbonate, compared for epidural blockade (CO) [Bromage & Nickel], 126

and lidocaine hydrocarbonate, compared for epidural blockade (CO) [Cole & McMorland], 126

test dose

for obstetrics, efficacy of 1.5% lidocaine with 7.5% dextrose and epinephrine as (CR) [Abraham, Harris, Maxwell & Karpow], 116

tetracaine

dual effect of, on rhodopsin (OA) [Mashimo, Abe & Yoshiya], 447

neurotoxicity of: altered perineurial permeability, edema, and nerve fiber injury (OA) [Myers, Kalichman, Reisner & Powell], 29

potency**fentanyl**

and cost (CO) [Aldrete], 843

volatile**enflurane**

biotransformation of, in patients with hyperthyroidism (CR) [Servin, Nivoche, Desmonts, Rice & Mazze], 387

and calcium blocking drugs in chronically instrumented dogs, cardiovascular effects of and interaction between (OA) [Rogers, Hysing, Merin, Taylor, Hartley & Chelly], 568

conscious-state comparisons of effects of, on specialized atrioventricular conduction times in dogs (OA) [Atlee, Brownlee & Burstrom], 703

differences in costs of (CO) [Aldrete & Hendricks], 656

differential depression of myocardial contractility by, in vitro (OA) [Lynch], 620

inhibition of neutrophil cidal activity by (EV) [Welch], 1

inhibition of superoxide production and Ca^{2+} mobilization by (OA) [Nakagawara, Takeshige, Takamatsu, Takahashi, Yoshitake & Minakami], 4

postoperative hepatic dysfunction after, in hyperthyroidism (CR) [Seino, Dohi, Aiyoshi, Mizutani, Nakamura & Naito], 122

power spectrum correlates of changes in consciousness during anesthetic induction with (OA) [Levy], 688

reproductive and teratogenic effects of, in Sprague-Dawley rats (OA) [Mazze, Fujinaga, Rice, Harris & Baden], 339

sensitivity of neonatal rat atrial contraction to (OA) [Rao, Boyer, Krishna & Paradise], 13

ether

anesthesia with, in military surgery, history of (CO) [Tverskoy], 661

halothane

- biotransformation of, in patients with hyperthyroidism (CR) [Servin, Nivoche, Desmonts, Rice & Mazze], 387
- and calcium blocking drugs in chronically instrumented dogs, cardiovascular effects of and interaction between (OA) [Chelly, Rogers, Hysing, Taylor, Hartley & Merin], 560
- cell proliferation in developing brain after brief exposure to (OA) [Rodier, Aschner, Lewis & Koeter], 680
- conscious-state comparisons of effects of, on specialized atrio-ventricular conduction times in dogs (OA) [Atlee, Brownlee & Burstrom], 703
- coronary perfusion scans during anesthetic induction using (OA) [Kleinman, Henkin, Glisson, El-Etr, Bakhos, Sullivan, Montoya & Pifarre], 157
- and cyclophosphamide, concomitant use of, failure to detect toxicity with (CR) [Lee, Erbguth & Stevens], 810
- differences in costs of (CO) [Aldrete & Hendricks], 656
- differential depression of myocardial contractility by, in vitro (OA) [Lynch], 620
- effect of, on diaphragmatic function (OA) [Clerque, Viïres, Lemesle, Aubier, Viars & Pariente], 181
- hemodynamic and cardiovascular effects of, in children (OA) [Wolf, Neal & Peterson], 328
- impaired systolic thickening associated with, in coronary stenosis mediated by changes in hemodynamics (OA) [Buffington], 632
- for infants during radiotherapy: an insufflation technique (CR) [Brett, Wara & Hamilton], 402
- inhibition of neutrophil cidal activity by (EV) [Welch], 1
- inhibition of receptor-mediated calcium influx (OA) [Yashima, Wada & Izumi], 466
- inhibition of superoxide production and Ca^{2+} mobilization by (OA) [Nakagawara, Takeshige, Takamatsu, Takahashi, Yoshitake & Minakami], 4
- membrane fluidizing effect of (OA) [Ueda, Hirakawa, Arakawa & Kamaya], 67
- postoperative hepatic dysfunction after, in hyperthyroidism (CR) [Seino, Dohi, Aiyoshi, Mizutani, Nakamura & Naito], 122
- prolonged hyporesponsiveness of airway smooth muscle to histamine following (OA) [Amyot, Michoud, St-Jean, Chapleau & Couture], 758
- and regional cerebral blood flow at various levels of Pa_{CO_2} in rabbits (OA) [Scheller, Todd & Drummond], 598
- reproductive and teratogenic effects of, in Sprague-Dawley rats (OA) [Mazze, Fujinaga, Rice, Harris & Baden], 339
- sensitivity of neonatal rat atrial contraction to (OA) [Rao, Boyer, Krishna & Paradise], 13
- ventilatory compensation for continuous inspiratory resistive and elastic loads during (OA) [Moote, Knill & Clement], 582

isoflurane

- adrenoceptor interaction in isolated rat parotid gland (OA) [Östman, Henriksson, Sundström & Reiz], 734
- and arterial oxygenation during one-lung ventilation (EV) [Benumof], 419
- and calcium blocking drugs in chronically instrumented dogs, cardiovascular effects of and interaction between (OA) [Rogers, Hysing, Merin, Taylor, Hartley & Chelly], 568
- cerebral oxygen tension in rats during deliberate hypotension with (OA) [Seyde & Longnecker], 480
- conscious-state comparisons of effects of, on specialized atrio-ventricular conduction times in dogs (OA) [Atlee, Brownlee & Burstrom], 703
- differences in costs of (CO) [Aldrete & Hendricks], 656

- differential depression of myocardial contractility by, in vitro (OA) [Lynch], 620
- hemodynamic and cardiovascular effects of, in children (OA) [Wolf, Neal & Peterson], 328
- hypotension induced by, effect of, on cerebral blood flow and cerebral metabolic rate for oxygen (OA) [Newman, Gelb & Lam], 307
- improves tolerance to pacing-induced myocardial ischemia (OA) [Tarnow, Marksches-Hornung & Schulte-Sasse], 147
- for infants during radiotherapy: an insufflation technique (CR) [Brett, Wara & Hamilton], 402
- influence of, on hypoxic pulmonary vasoconstriction in dogs (OA) [Domino, Borowec, Alexander, Williams, Chen, Marshall & Marshall], 423
- inhibition of neutrophil cidal activity by (EV) [Welch], 1
- inhibition of superoxide production and Ca^{2+} mobilization by (OA) [Nakagawara, Takeshige, Takamatsu, Takahashi, Yoshitake & Minakami], 4
- and intracranial pressure (CO) [Finck], 833
- and intracranial pressure (CO) [Grosslight & Bedford], 834
- in near-complete forebrain ischemia in rat (OA) [Warner, Deshpande & Wieloch], 19
- and oxyhemoglobin dissociation curve in humans (CO) [Lanza & Mercadante], 413
- and regional cerebral blood flow at various levels of Pa_{CO_2} in rabbits (OA) [Scheller, Todd & Drummond], 598
- reproductive and teratogenic effects of, in Sprague-Dawley rats (OA) [Mazze, Fujinaga, Rice, Harris & Baden], 339
- sensitivity of neonatal rat atrial contraction to (OA) [Rao, Boyer, Krishna & Paradise], 13
- in study of general anesthetics on acetylcholine receptor-rich membranes from *Torpedo californica* (OA) [Firestone, Sauter, Braswell & Miller], 694
- and verapamil, combined effects of, on coronary blood flow and myocardial metabolism (OA) [Campos & Kapur], 778

Antagonists

- of atracurium, level of paralysis recovery for with moderate doses of edrophonium (CR) [Hennart, d'Hollander, Plasman & De Jonckheere], 384

narcotic

nalmefene

- prolonged opioid antagonism with (OA) [Gal & DiFazio], 175

naloxone

- antagonizes agonist effects of morphine, fentanyl, and lofentanil in chronically implanted rats (OA) [Durant & Yaksh], 43
- influence of, on analgesia and respiratory depression following epidural morphine (OA) [Rawal, Schött, Dahlström, Inturrisi, Tandon, Sjöstrand & Wennhager], 194
- in studies of pharmacology and pathology of 4-anilinopiperidine analogues and morphine in rat and cat (OA) [Yaksh, Noueihed & Durant], 54

neuromuscular relaxants

edrophonium

- in antagonism of varying intensity neuromuscular blockade induced by atracurium, pancuronium, or vecuronium (OA) [Rupp, McChristian, Miller, Taboada & Cronnelly], 711

neostigmine

- in antagonism of varying intensity neuromuscular blockade induced by atracurium, pancuronium, or vecuronium (OA) [Rupp, McChristian, Miller, Taboada & Cronnelly], 711

physostigmine

- antagonism of flunitrazepam (OA) [Vatashsky, Beilin, Razin & Weinstock], 248

Antiarrhythmia, See under Heart

Aortic surgery, See under Surgery

Arrhythmias, See under Heart
Arterial venous pressure, See under Monitoring
Arteries, See also under Blood pressure
 cannulation
 tidy adjunct to (CO) [Sabo & Smith], 534
 fistula
 unexpected, in arm of intravenous drug abuser (CO) [Greene], 842
 pulmonary, pressure in
Arthritis, See under Complications
Aspiration, See under Complications; Lung(s)
Aspirin, See under Analgesics, nonnarcotic; Blood
Asystole, See under Complications
Atracurium, See under Neuromuscular relaxants
Atria, See under Heart
Atrial pacing, See under Heart
Atropine, See under Parasympathetic nervous system
Autonomic neuropathy, See under Complications
Autoradiography, See under Measurement techniques

B

Baclofen, See under Acid analogues; Muscle
Baroreceptor reflexes, See under Blood pressure; Reflexes
Baroreflex, See under Reflexes
Benzocaine, See under Anesthetics, local
Benzodiazepinase, See under Receptors
Beta-adrenergic blocker, See under Sympathetic nervous system
Biotransformation
 of halothane and enflurane in patients with hyperthyroidism (CR) [Servin, Nivoche, Desmonts, Rice & Mazze], 387
Bleeding time, See under Blood
Bleomycin, See under Toxicity
Blood
 aspirin
 usefulness of post-aspirin bleeding time in use of (CR) [Hindman & Koka], 368
 bleeding time
 post-aspirin, usefulness of (CR) [Hindman & Koka], 368
 coagulation
 in heparin resistance prior to cardiopulmonary bypass (CR) [Anderson], 504
 usefulness of post-aspirin bleeding time in assessment of (CR) [Hindman & Koka], 368
 hemoglobin dissociation
 isoflurane and, in humans (CO) [Lanza & Mercadante], 413
 heparin
 resistance prior to cardiopulmonary bypass (CR) [Anderson], 504
 methemoglobinemia
 benzocaine-induced, in Sprague-Dawley rats (CO) [Englebach & Harp], 132
 neutrophils
 inhibition by volatile anesthetics (EV) [Welch], 1
 superoxide production and Ca^{2+} mobilization in, inhibition by halothane, enflurane, and isoflurane (OA) [Nakagawara, Takeshige, Takamatsu, Takahashi, Yoshitake & Minakami], 4
 reaction
 and fulminating noncardiogenic pulmonary edema following cardiopulmonary bypass (CR) [Latson, Kickler & Baumgartner], 106
Blood flow, See under Brain; Lung(s); Uterus
Blood patch, See under Anesthetic techniques

Blood pressure, See also under Monitoring
 baroreceptor reflexes
 influence of venous return on, during lumbar epidural anesthesia (OA) [Baron, Decaux-Jacolot, Edouard, Berdeaux & Samii], 188
 drug effects
 of alfentanil in unanesthetized dogs (OA) [Arndt, Bednarski & Parasher], 345
 of esmolol after ketamine induction and intubation (OA) [Gold, Brown, Coverman & Herrington], 718
 with halothane in coronary stenosis mediated by changes in hemodynamics (OA) [Buffington], 632
 hypotension
 influence of venous return on, during lumbar epidural anesthesia (OA) [Baron, Decaux-Jacolot, Edouard, Berdeaux & Samii], 188
 hypotension, induced
 cerebral oxygen tension in rats during (OA) [Seyde & Longenecker], 480
 left ventricular end-diastolic
 analysis of, in study of halothane and left ventricular compliance (OA) [Greene & Gerson], 230
 measurement
 and tidy adjunct to arterial cannulation (CO) [Sabo & Smith], 534
 pulmonary arterial wedge pressure
 and left ventricular end-diastolic volume after coronary artery bypass graft surgery, poor correlation between (OA) [Hansen, Viquerat, Matthey, Wiener-Kronish, DeMarco, Bahtia, Marks, Botvinick & Chatterjee], 764
 pulmonary artery
 and left ventricular end-diastolic volume after coronary artery bypass graft surgery, poor correlation between (OA) [Hansen, Viquerat, Matthey, Wiener-Kronish, DeMarco, Bahtia, Marks, Botvinick & Chatterjee], 764
 pulmonary capillary wedge
 analysis of, in study of halothane and left ventricular compliance (OA) [Greene & Gerson], 230
Body temperature, See under Temperature
Book reviews
 Carlson, C. C., and Howland, W. S. (eds.), *High-Frequency Ventilation in Intensive Care and During Surgery*, 848
 Comroe, J., *Exploring the Heart: Discoveries in Heart Disease and High Blood Pressure*, 304
 Crawford, J. S., *Obstetric Analgesia and Anaesthesia*, 304
 Dorsch, J. S., and Dorsch, S. E., *Understanding Anesthesia Equipment, second edition*, 135
 Frost, E. A. M., *Clinical Anesthesia in Neurosurgery*, 416
 Kramer, M., *Invasive Procedures. A Year in the World of Two Surgeons*, 135
 Mannheimer, J. S., and Lampe, G. N., *Clinical Transcutaneous Electrical Nerve Stimulation*, 671
 Pichlmayr, I., Lips, U., and Kunkel, H., *The Electroencephalogram in Anesthesia*, 304
 Prys-Roberts, C., and Hug, C. C., Jr. (eds.), *Pharmacokinetics of Anesthesia*, 671
 Silverman, W. A., *Human Experimentation: A Guided Step into the Unknown*, 848
 Steward, D. J., *Manual of Pediatric Anesthesia*, 671
 Zapol, W. M., and Falke, K. J., *Acute Respiratory Failure*, 136
Brachial plexus block, See under Anesthetic techniques, regional
Bradycardia, See under Complications
Brain
 amino acids
 influence of nitrous oxide on (OA) [Viña, Davis & Hawkins], 490

- blood flow**
and cerebral function, after complete cerebral ischemia in dog (OA) [Stangland, Milde & Michenfelder], 430
effect of isoflurane-induced hypotension on (OA) [Newman, Gelb & Lam], 307
effects of flunarizine on (OA) [Deshpande & Wieloch], 215
following succinylcholine in dogs (OA) [Lanier, Milde & Michenfelder], 551
- regional**
during lidocaine-induced seizures in rats (OA) [Tommasino, Maekawa & Shapiro], 771
regional, isoflurane, halothane and, at various levels of P_{aCO_2} in rabbits (OA) [Scheller, Todd & Drummond], 598
- cerebral blood flow**
response of, to changes in carbon dioxide tension during hypothermic cardiopulmonary bypass (OA) [Prough, Stump, Roy, Gravlee, Williams, Mills, Hinshelwood & Howard], 576
- CO₂ response**
various levels of, isoflurane, halothane and regional cerebral blood flow at, in rabbits (OA) [Scheller, Todd & Drummond], 598
- convulsions**
and effect of lidocaine on hippocampus *in vitro* (LR) [Schurr, Spears, Reid, West, Edmonds & Rigor], 501
- delayed neuronal necrosis**
effect of isoflurane on, following near-complete forebrain ischemia in rat (OA) [Warner, Deshpande & Wieloch], 19
- development**
after brief exposure to nitrous oxide or halothane (OA) [Rodier, Aschner, Lewis & Koeter], 673
cell proliferation in, after brief exposure to nitrous oxide or halothane (OA) [Rodier, Aschner, Lewis & Koeter], 680
- electroencephalogram**
in assessment of cerebral stimulation following succinylcholine in dogs (OA) [Lanier, Milde & Michenfelder], 551
in study of power spectrum changes during induction with enflurane (OA) [Levy], 688
- electroencephalography**
during lidocaine-induced seizures in rats (OA) [Tommasino, Maekawa & Shapiro], 771
in study of physiology of alfentanil-induced rigidity (OA) [Ben-thuysen, Smith, Sanford, Head & Dec-Silver], 440
- forebrain ischemia**
effect of isoflurane on neuronal necrosis following (OA) [Warner, Deshpande & Wieloch], 19
- function**
in rats during etomidate anesthesia (OA) [Davis, Mans, Biebuyck & Hawkins], 751
- glucose metabolism**
in rats during etomidate anesthesia (OA) [Davis, Mans, Biebuyck & Hawkins], 751
- hippocampus**
effect of lidocaine on, *in vitro* (LR) [Schurr, Spears, Reid, West, Edmonds & Rigor], 501
- infarction**
neurosurgery in, intraoperative glucose during (OA) [Sieber, Smith, Kupferberg, Crosby, Uzzell, Buzby, March & Nann], 453
- intracranial**
following succinylcholine in dogs (OA) [Lanier, Milde & Michenfelder], 551
- intracranial pressure**
isoflurane and (CO) [Finck], 833
isoflurane and (CO) [Grosslight & Bedford], 834
- ischemia**
complete, canine cerebral function and blood flow after (OA) [Stangland, Milde & Michenfelder], 430
effects of flunarizine on (OA) [Deshpande & Wieloch], 215
- metabolism**
effect of isoflurane-induced hypotension on (OA) [Newman, Gelb & Lam], 307
following succinylcholine in dogs (OA) [Lanier, Milde & Michenfelder], 551
- mitosis**
after brief exposure to nitrous oxide or halothane (OA) [Rodier, Aschner, Lewis & Koeter], 680
in developing brain after brief exposure to nitrous oxide or halothane (OA) [Rodier, Aschner, Lewis & Koeter], 680
- neurogenesis**
after brief exposure to nitrous oxide or halothane (OA) [Rodier, Aschner, Lewis & Koeter], 680
in developing brain after brief exposure to nitrous oxide or halothane (OA) [Rodier, Aschner, Lewis & Koeter], 680
- oxygen consumption**
following succinylcholine in dogs (OA) [Lanier, Milde & Michenfelder], 551
- oxygen tension**
in rats during deliberate hypotension (OA) [Seyde & Longnecker], 480
- protection**
by barbiturate during cardiopulmonary bypass (OA) [Nussmeier, Arlund & Slogoff], 165
barbiturate-induced, in man, demonstration of (EV) [Michenfelder], 140
- respiratory depression**
flunitrazepam-induced, effect of physostigmine on (OA) [Vatashsky, Beilin, Razin & Weinstock], 248
- seizures**
lidocaine-induced, local cerebral blood flow during (OA) [Tommasino, Maekawa & Shapiro], 771
- stroke**
after cardiopulmonary bypass, protection by barbiturate (OA) [Nussmeier, Arlund & Slogoff], 165
- unconsciousness**
flunitrazepam-induced, effect of physostigmine on (OA) [Vatashsky, Beilin, Razin & Weinstock], 248
- Breathing pattern, See under Ventilation**
Bronchopleural fistula, See under Lung(s)
Bronchoscopes, See under Equipment
Bronchoscopy, See under Surgery
Bronchus, See under Lung(s)
Bupivacaine, See under Anesthetics, local
Buprenorphine, See under Analgesics, narcotic
Burns, See under Complications
- C**
- Calcium, See under Heart, antiarrhythmia; Ions**
Calcium blockers, See under Ions
Cannulation, See under Arteries; Veins
Carbon dioxide, See also under Metabolism
cerebral blood flow
response of, to changes in carbon dioxide tension during hypothermic cardiopulmonary bypass (OA) [Prough, Stump, Roy, Gravlee, Williams, Mills, Hinshelwood & Howard], 576

- hypercarbia**
and cerebral blood flow during anesthesia in rabbits (OA) [Scheller, Todd & Drummond], 598
in malignant hyperthermia susceptible swine (OA) [Gronert, Ahern, Milde & White], 24
pulmonary vascular responses to, after cardiopulmonary bypass (OA) [Salmenperä & Heinonen], 311
- hypocarbica**
and cerebral blood flow during anesthesia in rabbits (OA) [Scheller, Todd & Drummond], 598
pulmonary vascular responses to, after cardiopulmonary bypass (OA) [Salmenperä & Heinonen], 311
- hypothermia**
during hypothermic cardiopulmonary bypass, response of cerebral blood flow to (OA) [Prough, Stump, Roy, Gravlee, Williams, Mills, Hinshelwood & Howard], 576
- occlusion pressure response**
in prolonged opioid antagonism with nalmefene (OA) [Gal & DiFazio], 175
and variability of respiratory response to diazepam (OA) [Bailey, Andriano, Goldman, Stanley & Pace], 460
- production**
and resting metabolic rate of critically ill patient: measured versus predicted (OA) [Weissman, Kemper, Askanazi, Hyman & Kinney], 673
- transcutaneous**
for detection of air embolism in neurosurgical patients (OA) [Glenski & Cucchiara], 546
for detection of venous air embolism (OA) [Glenski, Cucchiara & Michenfelder], 541
- ventilatory response**
in prolonged opioid antagonism with nalmefene (OA) [Gal & DiFazio], 175
and variability of respiratory response to diazepam (OA) [Bailey, Andriano, Goldman, Stanley & Pace], 460
- Carbon dioxide response, See under Ventilation**
- Carcinogenicity, See under Toxicity**
- Cardiac arrest, See under Heart**
- Cardiac compliance, See under Heart**
- Cardiac contractility, See under Heart**
- Cardiac massage, See under Heart**
- Cardiac output, See under Heart; Measurement techniques**
- Cardiac rhythm, See under Heart**
- Cardiac surgery, See under Surgery**
- Cardiovascular anesthesia, See under Anesthesia**
- Cardiovascular surgery, See under Surgery**
- Carlson, C. C., and Howland, W. S. (eds.)**
High-Frequency Ventilation in Intensive Care and During Surgery, (BR), 848
- Carotid endarterectomy, See under Surgery**
- Catecholamines, See under Hormones; Sympathetic nervous system**
- Catheters, See under Equipment; Monitoring**
- Cerebral blood flow, See under Brain; Carbon dioxide; Hypothermia**
- Cerebrospinal fluid pressure**
response, to endotracheal suctioning, effect of lidocaine on (CR) [Yano, Nishiyama, Yokota, Kato, Yamamoto & Otsuka], 651
- Cesarean section, See under Anesthesia, obstetric**
- Chloroprocain, See under Anesthetics, local**
- Cholinesterase, See under Enzymes**
- Cimetidine, See under Histamine; Pharmacology**
- Circuits, See under Equipment**
- Clonidine, See under Pharmacology; Premedication; Sympathetic nervous system**
- Coagulation, See under Blood**
- Cocaine, See under Anesthetics, local**
- CO₂ response, See under Brain**
- Compliance, See under Heart; Lung(s)**
- Complications**
- AIDS**
anesthetic management of patients with (CO) [Arden], 660
- air embolism**
venous, detection of, by airway pressure monitoring (CR) [Sloan & Kimovec], 645
- alarms**
help or hindrance (CO) [Schmidt & Baysinger], 654
- arterial injection**
arteriovenous fistula in arm of intravenous drug abuser (CO) [Greene], 842
- arthritis**
as cause of difficult endotracheal intubation (CR) [Salzarulo & Taylor], 366
- aspiration**
foreign body, during fiberoptic-assisted intubation (CO) [], 303
after priming dose of vecuronium (CR) [Musich & Walts], 517
and use of cricoid pressure, awake intubation, or both (CO) [Kempen], 831
and use of cricoid pressure, awake intubation, or both (CO) [Salem, Joseph, Heyman & Paulsian], 832
- asystole**
and bradycardia, following rapid administration of sufentanil with vecuronium (CR) [Starr, Sethna & Estafanous], 521
- autonomic neuropathy**
in diabetic patient with renal failure (CR) [Ciccarelli, Ford & Tsueda], 283
- bradycardia**
associated with baclofen during general anesthesia (CR) [Sill, Schumacher, Southorn, Reuter & Yaksh], 255
- burns**
in use of "innovated" cylinder valve handle for cracking valve (CO) [Riddle], 659
in use of "innovated" cylinder valve handle for cracking valve (CO) [Yamashita, Motokawa & Watanabe], 658
- convulsions**
following stellate ganglion block after negative aspiration and test dose (CO) [Ellis & Ramamurthy], 533
- coughing**
lidocaine for control of, during standby cataract surgery (CO) [Fenton], 847
- decubitus**
simple, inexpensive method to prevent (CO) [Brighthouse], 536
- diabetes**
as cause of difficult endotracheal intubation (CR) [Salzarulo & Taylor], 366
- diabetes insipidus**
prolonged, subsequent to chemical meningitis (CR) [Garfield, Andriole, Vetto & Richie], 253
- edema**
noncardiogenic pulmonary, following cardiopulmonary bypass (CR) [Latson, Kickler & Baumgartner], 106
- epiglottitis**
acute
anesthesia for (CO) [Williams], 663
- esophageal intubation**
and end-tidal P_{CO₂} should it be standard of care in obstetric anesthesia? (CO) [Choi, Tremper & Garber], 829
- facial nerve paralysis**
after general anesthesia, in Heerfordt's syndrome (CR) [Vaghadia], 513

- gas leak**
potential source of (CO) [Daniell], 298
potential source of (CO) [Raja & Geller], 297
- genital herpes infections**
anesthesia for cesarean section in patients with (CR) [Ramanathan, Sheth & Turndorf], 807
- head injury**
management of, incidence of Horner syndrome with interscalene brachial plexus block and (CO) [Al-Khafaji & Elias], 127
- Heerfordt's syndrome**
in facial paresis after general anesthesia (CR) [Vaghadia], 513
- hemimacroglossia**
of tongue in long-duration neurosurgical procedure (CO) [Teeple, Maroon & Rueger], 845
- hoarseness**
in guided orotracheal intubation in operating room using lighted stylet (CR) [Ellis, Jakymec, Kaplan, Stewart, Freeman, Ble-yaert & Berkebile], 823
- hypertension**
in phenylephrine eyedrops and anesthesia (CR) [Van Der Spek & Hantler], 812
and rectal clonidine in perioperative period (CR) [Johnston, Nicholas, Lawson, Wallfisch & Arens], 288
- hypotension**
associated with baclofen during general anesthesia (CR) [Sill, Schumacher, Southorn, Reuter & Yaksh], 255
with halothane in coronary stenosis mediated by changes in hemodynamics (OA) [Buffington], 632
- hypothermia**
and simple method for warming intravenous fluid in infants (CO) [Rosen, Rosen & Broadman], 133
- hypoxia**
following tricuspid valve resection (CR) [Fyman, Stein, Gotta, Casthely, Ergin & Griep], 113
- infection**
of health-care workers with AIDS, anesthetic management for prevention of (CO) [Arden], 660
- intravascular injection**
of epinephrine, monitoring maternal heart rate during (CO) [Chestnut & Wiener], 839
- intubation**
as hazard for anesthesiologist, intubation technique causing (CO) [Hein & Freeman], 536
- ischemic necrosis**
of tongue in long-duration neurosurgical procedure (CO) [Teeple, Maroon & Rueger], 845
- meningitis**
chemical, prolonged diabetes insipidus subsequent to (CR) [Garfield, Andriole, Vetto & Richie], 253
- movement**
unusual cause of, during anesthesia (CR) [Adragna], 89
- myasthenia gravis**
vecuronium for muscle relaxation in patients with (CR) [Buzello, Noeldge, Krieg & Brobmann], 507
- myocardial ischemia**
with halothane in coronary stenosis mediated by changes in hemodynamics (OA) [Buffington], 632
- pneumothorax**
in esophageal perforation associated with endotracheal intubation (CR) [Johnson & Hood], 281
- preeclampsia**
defense of trimethaphan for use in (CO) [Sosis & Leighton], 657
- pulmonary**
occurring in recovery room after general anesthesia (CR) [Beard, Jick & Walker], 269
- pulmonary artery catheter**
frozen: complication associated with cryoablation of ventricle (CO) [Zahl, Murray & Jobes], 662
proximal port dysfunction, erroneous cardiac output determination due to (CO) [Curley, Harte & Sheikh], 662
- pulmonary artery perforation**
during cardiac surgery (CR) [Johnston, Royster, Choplin, Howard, Mills & Tucker], 258
- pulmonary artery pressure erroneously high**
in frozen pulmonary artery catheter (CO) [Zahl, Murray & Jobes], 662
- pulmonary edema**
due to cutaneous bronchopleural fistula (CR) [Brister, Barnette & Reardon], 802
- rigidity**
following sufentanil (CO) [Goldberg & McKenna], 667
following sufentanil (CO) [Griffiths], 667
following sufentanil (CO) [Hilberman & Hyer], 665
- sore throat**
in guided orotracheal intubation in operating room using lighted stylet (CR) [Ellis, Jakymec, Kaplan, Stewart, Freeman, Ble-yaert & Berkebile], 823
- stroke**
and barbiturate-induced brain protection in man (EV) [Michenfelder], 140
- subdural injection**
during epidural catheterization—probably (CO) [Stevens], 839
during epidural catheterization—probably not (CO) [Redick], 838
during epidural catheterization—probably not (CO) [West], 838
- venous entrapment**
in external jugular cannulation (CO) [Hey, Mahood & Pietak], 836
- Computers, See under Equipment; Monitoring**
- Comroe, J.**
Exploring the Heart: Discoveries in Heart Disease and High Blood Pressure (BR), 304
- Conduction, See under Heart**
- Continuous infusion, See under Anesthetic techniques**
- Contractility, See under Heart**
- Convulsions, See under Brain; Complications**
- Coronary artery disease, See under Heart**
- Coronary blood flow, See under Heart**
- Coronary flow, See under Heart**
- Coronary stenosis, See under Heart**
- Costs, anesthesia, See under Anesthesia**
- Coughing, See under Complications**
- Crawford, J. S.**
Obstetric Analgesia and Anaesthesia (BR), 304
- Creatinine, See under Kidney**
- Cricoid pressure, See under Larynx**
- Cyclophosphamide, See under Interactions**
- Cylinders, See under Equipment**

D

- Dantrolene, See under Neuromuscular relaxants**
- Decubitus, See under Complications**
- Departmental libraries, See under Anesthesia; Education**
- Diabetes, See under Complications; Metabolism**
- Diabetes insipidus, See under Complications**
- Diaphragm, See under Muscle, skeletal**
- Diazepam, See under Anesthetics, intravenous**
- Dibucaine, See under Anesthetics, local**
- Digoxin, See under Pharmacology**

Dorsch, J. S., and Dorsch, S. E.,

Understanding Anesthesia Equipment, second edition (BR), 135

Dose-response, *See under* Pharmacology

Drapes, surgical, *See under* Equipment

Droperidol, *See under* Anesthetics, intravenous; Pharmacokinetics

Drug interactions, *See under* Pharmacology

Dysrhythmia, *See under* Heart

E

Echocardiography, *See under* Equipment; Measurement techniques; Monitoring

Edema, *See under* Complications; Lung(s)

Edrophonium, *See under* Antagonists, neuromuscular relaxants

Education

animal rights and biomedical research (EV) [Shapiro], 142

libraries, departmental

dyscosmesis delays disappearance (CO) [Smith], 133

status of women in academic anesthesiology (SA) [Wilkinson & Linde], 496

Electrocardiography, *See under* Heart; Monitoring

Electroencephalogram, *See under* Brain

Electroencephalography, *See under* Brain

Electromyography, *See under* Muscle

Embolism

air

detection of, in neurosurgical patients, transcutaneous O₂ and CO₂ monitoring for (OA) [Glenski & Cucchiara], 546

paradoxical

hemodynamic effects of positive end-expiratory pressure during (OA) [Pearl & Larson], 724

pulmonary, in pediatric patients undergoing central catheter placement (CR) [Leicht & Waldman], 519

subclavian vein catheter as source of, in sitting position (CO) [Kloosterboer, Springman & Coursin], 411

venous, detection of, by airway pressure monitoring (CR) [Sloan & Kimovec], 645

venous, transesophageal echocardiography and transcutaneous O₂ and CO₂ monitoring for detection of (OA) [Glenski, Cucchiara & Michenfelder], 541

amniotic fluid

left heart failure in (CR) [Girard, Mal, Laine, Petitpretz, Rain & Duroux], 262

End tidal carbon dioxide, *See under* Monitoring

End-diastolic volume, *See under* Heart

End-expiratory pressure, *See under* Ventilation

Endobronchial intubation, *See under* Anesthetic techniques

Endobronchial technique, *See under* Anesthetic techniques

Endotracheal anesthesia, *See under* Anesthetic techniques

Endotracheal intubation, *See under* Intubation

Enflurane, *See under* Anesthetics, volatile

Enzymes

cholinesterase

inhibition of, in physostigmine antagonism of flunitrazepam (OA) [Vatashsky, Beilin, Razin & Weinstock], 248

methionine synthase

influence of nitrous oxide on (OA) [Viña, Davis & Hawkins], 490

methionine synthetase

influence of nitrous oxide on (OA) [Viña, Davis & Hawkins], 490

Epidural anesthesia, *See under* Anesthetic techniques, epidural

Epidural narcotics, *See under* Anesthetic techniques

Epiglottitis, *See under* Complications

Epinephrine, *See under* Sympathetic nervous system

Equipment

alarms

anesthesia (CO) [Samuels], 128

help or hindrance (CO) [Schmidt & Baysinger], 654

that speak (CO) [Burke], 655

analyzers

and alarms, difficulties in distinguishing signals of (CO) [Schmidt & Baysinger], 654

anesthesia mask

"fruit-flavored," for children (CO) [Yamashita & Motokawa], 837

bronchoscope

fiberoptic

improved technique for use of (CO) [Green], 835

catheter

Broviac®

air embolism following central venous insertion of, in pediatric patient (CR) [Leicht & Waldman], 519

flow-directed

in study of injectate volume and temperature on thermolulution cardiac output determination (LR) [Pearl, Rosenthal, Nielson, Ashton & Brown], 798

Hickman®

air embolism following central venous insertion of, in pediatric patient (CR) [Leicht & Waldman], 519

catheters

central venous

multiple-lumen, methylene blue aids replacement of (CO) [Wong & Lupei], 842

multiorificed

placement of, with intravascular electrocardiographic technique (CO) [Johans], 411

pulmonary artery

multiple-lumen, methylene blue aids replacement of (CO) [Wong & Lupei], 842

subclavian vein

as source of air emboli in sitting position (CO) [Kloosterboer, Springman & Coursin], 411

circuits

Magill

and eponyms used in anesthesiology (CO) [Mapleson], 829

Mapleson

and eponyms used in anesthesiology (CO) [Mapleson], 829

computers

computerized anesthesia records may be dangerous (CO) [Noel], 300

cylinders

"innovated," valve handle of, do not use for cracking valve (CO) [Riddle], 659

"innovated," valve handle of, do not use for cracking valve (CO) [Yamashita, Motokawa & Watanabe], 658

drapes, surgical

method to secure on IV poles (CO) [Kataria & Chen], 302

echocardiography

in blunt chest injury: correlation with perioperative hypotension (CR) [Eisenach, Nugent, Miller & Mucha], 364

face-rest

head and chin cushioned, for surgery in prone position (CO) [Ray], 301

fiberoptic bronchoscope

for acute epiglottitis (CO) [Williams], 663

for difficult pediatric intubation (CO) [Berthelsen & Jacobsen], 668

for difficult pediatric intubation (CO) [Laravuso & Perloff], 668

- fiberoptic bronchoscopes**
in simple technique for difficult endotracheal reintubations (CR) [Hudes, Fisher & Guslitz], 515
- humidifier(s)**
as source of major gas leak (CO) [Daniell], 298
as source of major gas leak (CO) [Raja & Geller], 297
- disposable**
passive heat and moisture exchangers, do they keep the patient warm? (CR) [Haslam & Nielsen], 379
- machines**
Ohio® Modulus™, intraoperative air entrainment with (CR) [Lanier], 266
- mass spectrometer**
better designs for, for use in awake patient (CO) [Norman, Zeig & Ahmad], 664
- monitoring**
minimal requirements for—1986 (CO) [Modell], 840
- monitors**
computerized anesthesia records may be dangerous (CO) [Noel], 300
- nasal airway**
for mass spectrometer monitoring of awake patient (CO) [Norman, Zeig & Ahmad], 664
- nebulizers**
for delivery of bronchodilators into anesthesia circuit (CO) [Diamond], 531
- oximeter**
anesthesia and, for pediatric radiation therapy (CO) [Davies], 406
- pulmonary artery catheter**
migration of, during cardiac surgery (CR) [Johnston, Royster, Choplin, Howard, Mills & Tucker], 258
proximal port dysfunction, erroneous cardiac output determination due to (CO) [Curley, Harte & Sheikh], 662
- pulse oximeter**
in assessment of collateral arterial flow (CO) [Nowak, Moorthy & McNiece], 527
- real-time ultrasonic guidance**
for percutaneous puncture of internal jugular vein (CO) [Yonei, Nonoue & Sari], 830
- rhinoscope**
fiberoptic
in adult intubation (CO) [Eriksen], 128
- scavengers**
Ohio® Modulus™, intraoperative air entrainment with (CR) [Lanier], 266
- tubes**
double-lumen
disposable, airway rupture with (CO) [Brodsky, Shulman & Mark], 415
nasogastric
and use of cricoid pressure, awake intubation, or both (CO) [Kempen], 831
and use of cricoid pressure, awake intubation, or both (CO) [Salem, Joseph, Heyman & Paulissian], 832
- vaporizers**
for delivery of bronchodilators into anesthesia circuit (CO) [Diamond], 531
- ventilator**
conventional, use of in presence of bronchopleural fistula (CO) [Baxter], 835
- ventilators**
Ohio® Modulus™, intraoperative air entrainment with (CR) [Lanier], 266
- Esmolol, See under Pharmacology; Sympathetic nervous system**
- Esophageal monitoring problems, See under Complications**
- Esters, See under Anesthetics, local**
- Ether, See under Anesthetics, volatile**
- Etomidate, See under Anesthetics, intravenous**
- Experimental pain, See under Pain**
- Eye(s), See also under Surgery**
intraocular pressure
lidocaine for control of, during standby cataract surgery (CO) [Fenton], 847
and succinylcholine and open eye injury (CO) [Donlon], 525
and succinylcholine and open eye injury (CO) [Jantzen, Hackett & Earnshaw], 524
and succinylcholine and open eye injury (CO) [Libonati, Leahy & Ellison], 525
- F**
- Face-rest, See under Equipment**
- Facial nerve paralysis, See under Complications**
- Fasting, See under Metabolism**
- Fatty acids, See under Metabolism**
- Fentanyl, See under Analgesics, narcotic; Anesthetics, intravenous; Pharmacokinetics**
- Fetal heart rate, See under Monitoring**
- Fiberoptic bronchoscopes, See under Equipment**
- Fiberoptic intubation, See under Intubation**
- Fibrosis, See under Lung(s)**
- Fistula, See under Arteries; Veins**
- Flow-directed catheter, See under Equipment**
- Flunarizine, See under Pharmacology**
- Flunitrazepam, See under Anesthetics, intravenous**
- Forebrain, See under Brain**
- Free radicals, See under Toxicity**
- Frequency, See under Ventilation**
- Frost, E. A. M.**
Clinical Anesthesia in Neurosurgery (BR), 416
- Furosemide, See under Pharmacology**
- G**
- Gallamine, See under Neuromuscular relaxants**
- Gas exchange, See under Ventilation**
- Gas leak, See under Complications**
- Gases**
nonanesthetic
nitrogen
expiratory, and intraoperative air entrainment with Ohio® Modulus™ anesthesia machine (CR) [Lanier], 266
- Genital herpes infections, See under Complications**
- Glucose, See under Metabolism**
- Glucose metabolism, See under Brain**
- H**
- Halothane, See under Anesthetics, volatile**
- Head injury, See under Complications**
- Heart**
action potential
differential depression of, by halothane and isoflurane in vitro (OA) [Lynch], 620
afterload
as result of positive end-expiratory pressure (CO) [Berry], 130
as result of positive end-expiratory pressure (CO) [Venus, Mathru & Smith], 131

- antiarrhythmia**
 calcium
 in isorhythmic dissociation (CO) [Gottlieb, Satariano, Sethna & Millar], 407
- arrhythmia(s)**
 in conscious-state comparisons of effects of inhalation anesthetics in dogs (OA) [Atlee, Brownlee & Burstrom], 703
 intraoperative, chronic hypokalemia and (CO) [Glaser], 408
 intraoperative, chronic hypokalemia and (CO) [Vitez & Soper], 409
- treatment**
 in isorhythmic dissociation (CO) [Gottlieb, Satariano, Sethna & Millar], 407
- atria**
 isometric contraction of, increased sensitivity of, to halothane, isoflurane, and enflurane (OA) [Rao, Boyer, Krishna & Paradise], 13
- atrial pacing**
 myocardial ischemia induced by, isoflurane improves tolerance to (OA) [Tarnow, Marksches-Hornung & Schulte-Sasse], 147
- beta adrenergic receptor**
 and tolerance to potassium (CO) [Torretti, Gerson, Oats & Lange], 846
- blood flow**
 in calcium blocking drugs and anesthetics in chronically instrumented dogs (OA) [Chelly, Rogers, Hysing, Taylor, Hartley & Merin], 560
 in calcium blocking drugs and anesthetics in chronically instrumented dogs (OA) [Rogers, Hysing, Merin, Taylor, Hartley & Chelly], 568
 and impaired systolic thickening associated with halothane, mediated by changes in hemodynamics (OA) [Buffington], 632
 and intravenous nitroglycerin to prevent intraoperative myocardial ischemia (CO) [Coriat], 409
- cardiac arrest**
 canine cerebral function and blood flow after (OA) [Stangland, Milde & Michenfelder], 430
- cardiac output**
 effect of injectate volume and temperature on thermodilution (LR) [Pearl, Rosenthal, Nielson, Ashton & Brown], 798
 effect of isoflurane and arterial oxygenation on, during one-lung ventilation (EV) [Benumof], 419
 and hypoxic pulmonary vasoconstriction in dogs, influence of isoflurane on (OA) [Domino, Borowec, Alexander, Williams, Chen, Marshall & Marshall], 423
 in positive end-expiratory pressure during continuous venous air embolism in dog (OA) [Pearl & Larson], 724
- compliance**
 left ventricular, halothane does not alter (OA) [Greene & Gerson], 230
 and pulmonary arterial wedge pressure, poor correlation between, after coronary artery bypass graft surgery (OA) [Hansen, Viquerat, Matthay, Wiener-Kronish, DeMarco, Bahtia, Marks, Botvinick & Chatterjee], 764
- conduction**
 in conscious-state comparisons of effects of inhalation anesthetics in dogs (OA) [Atlee, Brownlee & Burstrom], 703
- contractility**
 differential depression of, by halothane and isoflurane in vitro (OA) [Lynch], 620
 effects of lidocaine on, in conscious dogs (OA) [Edouard, Berdeaux, Langlois, Samii, Giudicelli & Noviant], 316
 increased sensitivity to halothane, isoflurane, and enflurane, in neonate (OA) [Rao, Boyer, Krishna & Paradise], 13
- coronary artery disease**
 effects of midazolam on coronary circulation in (OA) [Marty, Nitenberg, Blanchet, Zouieueche & Desmonts], 206
 ischemia in, is anesthesia beneficial for? (EV) [Merin, Lowenstein & Gelman], 137
 isoflurane improves tolerance to atrial pacing in (OA) [Tarnow, Marksches-Hornung & Schulte-Sasse], 147
- coronary blood flow**
 combined effects of verapamil and isoflurane on, in dog (OA) [Campos & Kapur], 778
 effects of midazolam on, in coronary artery disease (OA) [Marty, Nitenberg, Blanchet, Zouieueche & Desmonts], 206
- coronary flow**
 evaluation of, during anesthetic induction using thallium-201 perfusion scans (OA) [Kleinman, Henkin, Glisson, El-Etr, Bakhos, Sullivan, Montoya & Pifarre], 157
- coronary stenosis**
 and impaired systolic thickening associated with halothane, mediated by changes in hemodynamics (OA) [Buffington], 632
- dysrhythmia**
 during coronary artery bypass surgery (CR) [Weiskopf & Stead], 392
- electrocardiography**
 in assessment of pancuronium and myocardial ischemia (CO) [Levy], 659
 in assessment of pancuronium and myocardial ischemia (CO) [Thomson & Putnins], 660
 in conscious-state comparisons of effects of inhalation anesthetics in dogs (OA) [Atlee, Brownlee & Burstrom], 703
- end-diastolic volume**
 and pulmonary arterial wedge pressure, poor correlation between, after coronary artery bypass graft surgery (OA) [Hansen, Viquerat, Matthay, Wiener-Kronish, DeMarco, Bahtia, Marks, Botvinick & Chatterjee], 764
- failure**
 left, in amniotic fluid embolism (CR) [Girard, Mal, Laine, Petitpretz, Rain & Duroux], 262
- ischemia**
 evaluation of, during anesthetic induction using thallium-201 perfusion scans (OA) [Kleinman, Henkin, Glisson, El-Etr, Bakhos, Sullivan, Montoya & Pifarre], 157
 is anesthesia beneficial for? (EV) [Merin, Lowenstein & Gelman], 137
 isoflurane improves tolerance to atrial pacing in (OA) [Tarnow, Marksches-Hornung & Schulte-Sasse], 147
- massage**
 closed-chest, transesophageal echocardiographic observations in patient undergoing (CR) [Clements, de Bruijn & Kisslo], 826
- myocardial contusion**
 echocardiographic evaluation of patients with (CR) [Eisenach, Nugent, Miller & Mucha], 364
- myocardial function**
 effects of isoflurane and halothane on, in children (OA) [Wolf, Neal & Peterson], 328
 and impaired systolic thickening associated with halothane, mediated by changes in hemodynamics (OA) [Buffington], 632
- myocardial ischemia**
 effect of prophylactic nitroglycerin on, during coronary artery bypass surgery (OA) [Gallagher, Moore, Jose, Botros & Clark], 785
 and impaired systolic thickening associated with halothane, mediated by changes in hemodynamics (OA) [Buffington], 632
 intraoperative, intravenous nitroglycerin to prevent (CO) [Coriat], 409

myocardial metabolism

- combined effects of verapamil and isoflurane on, in dog (OA) [Campos & Kapur], 778
- effects of midazolam on, in coronary artery disease (OA) [Marty, Nitenberg, Blanchet, Zouioueche & Desmonts], 206

neonatal

- isometric contraction of, increased sensitivity of, to halothane, isoflurane, and enflurane (OA) [Rao, Boyer, Krishna & Paradise], 13

nitroglycerin

- prophylactic, during coronary artery bypass surgery (OA) [Gallagher, Moore, Jose, Botros & Clark], 785

no myocardial involvement in nonrigid malignant hyperthermia (CR) [Kawamoto, Yuge, Kikuchi, Kodama & Morio], 93

papillary muscle

- differential depression of, by halothane and isoflurane in vitro (OA) [Lynch], 620

perfusion scans

- evaluation of coronary flow during anesthetic induction using (OA) [Kleinman, Henkin, Glisson, El-Etr, Bakhos, Sullivan, Montoya & Pifarre], 157

polymorphous ventricular tachycardia

- during coronary artery bypass surgery (CR) [Weiskopf & Stead], 392

potassium

- tolerance to, β -adrenoceptor blockade and (CO) [Torretti, Gerson, Oats & Lange], 846

preload

- assessment of, in study of halothane and left ventricular compliance (OA) [Greene & Gerson], 230
- and pulmonary arterial wedge pressure, poor correlation between, after coronary artery bypass graft surgery (OA) [Hansen, Viquerat, Matthay, Wiener-Kronish, DeMarco, Bahtia, Marks, Botvinick & Chatterjee], 764
- as result of positive end-expiratory pressure (CO) [Berry], 130
- as result of positive end-expiratory pressure (CO) [Venus, Mathru & Smith], 131

propranolol

- and tolerance to potassium (CO) [Torretti, Gerson, Oats & Lange], 846

pulse rate

- and impaired systolic thickening associated with halothane, mediated by changes in hemodynamics (OA) [Buffington], 632

rate

- as effect of esmolol after ketamine induction and intubation (OA) [Gold, Brown, Coverman & Herrington], 718
- effects of lidocaine on, in conscious dogs (OA) [Edouard, Berdeaux, Langlois, Samii, Giudicelli & Noviant], 316
- in relation to alfentanil concentration in unanesthetized dogs (OA) [Arndt, Bednarski & Parasher], 345

rate response

- differential depression of, by halothane and isoflurane in vitro (OA) [Lynch], 620

rhythm

- in calcium blocking drugs and anesthetics in chronically instrumented dogs (OA) [Chelly, Rogers, Hysing, Taylor, Hartley & Merin], 560
- in calcium blocking drugs and anesthetics in chronically instrumented dogs (OA) [Rogers, Hysing, Merin, Taylor, Hartley & Chelly], 568

tamponade

- intraoperative tension pneumopericardium with, after ligation of patent ductus arteriosus in premature neonate (CR) [Hickey], 641

thermodilution determination

- effect of injectate volume and temperature on (LR) [Pearl, Rosenthal, Nielson, Ashton & Brown], 798

tricuspid regurgitation

- hypoxia following (CR) [Fyman, Stein, Gotta, Casthely, Ergin & Griep], 113

T-wave abnormalities

- following anesthesia and surgery (CR) [Breslow, Miller, Parker, Walman & Rogers], 398

vascular pressures

- in positive end-expiratory pressure during continuous venous air embolism in dog (OA) [Pearl & Larson], 724

ventricular function

- in calcium blocking drugs and anesthetics in chronically instrumented dogs (OA) [Chelly, Rogers, Hysing, Taylor, Hartley & Merin], 560
- in calcium blocking drugs and anesthetics in chronically instrumented dogs (OA) [Rogers, Hysing, Merin, Taylor, Hartley & Chelly], 568

volume

- assessment of, in study of halothane and left ventricular compliance (OA) [Greene & Gerson], 230

Heating, *See under* Temperature

Heerfordt's syndrome, *See under* Complications

Hemimacroglossia, *See under* Complications

Hemodynamics

- changes in, coronary stenosis mediated by, impaired systolic thickening associated with halothane and (OA) [Buffington], 632

PEEP

- effects of (CO) [Berry], 130
- effects of (CO) [Venus, Mathru & Smith], 131

Hemoglobin dissociation, *See under* Blood

Heparin, *See under* Blood

Hepatotoxicity, *See under* Liver

High frequency oscillatory ventilation, *See under* Ventilation

High-frequency ventilation, *See under* Ventilation

Hippocampus, *See under* Brain

Histamine

airway response

- prolonged hyporesponsiveness of, following general anesthesia (OA) [Amyot, Michoud, St-Jean, Chapleau & Couture], 758

cimetidine

- intravenous, hemodynamic effects of, in intensive care unit patients (CR) [Iberty, Paluch, Helmer, Murgolo & Benjamin], 87

History

anesthesia systems

- eponyms used for (CO) [Mapleson], 829

History of anesthesia, *See under* Anesthesia

Hoarseness, *See under* Complications

Hormones

catecholamines

- study of, in investigation of epidural anesthesia and venous return (OA) [Baron, Decaux-Jacot, Edouard, Berdeaux & Samii], 188

hyperthyroidism

- biotransformation of halothane and enflurane in patients with (CR) [Servin, Nivoche, Desmonts, Rice & Mazze], 387

renin-angiotensin

- study of, in investigation of epidural anesthesia and venous return (OA) [Baron, Decaux-Jacot, Edouard, Berdeaux & Samii], 188

- thyroid**
and postoperative hepatic dysfunction after halothane or enflurane anesthesia in patients with hyperthyroidism (CR) [Seino, Dohi, Aiyoshi, Mizutani, Nakamura & Naito], 122
- vasopressin**
study of, in investigation of epidural anesthesia and venous return (OA) [Baron, Decaux-Jacolot, Edouard, Berdeaux & Samii], 188
- Horner syndrome, See under Sympathetic nervous system**
- Humidifier, See under Equipment**
- Humidifiers, See under Equipment**
- Hydralazine, See under Pharmacology**
- Hypercarbia, See under Carbon dioxide**
- Hyperglycemia, See under Metabolism**
- Hyperpyrexia, See under Hyperthermia**
- Hypertension, See under Complications**
- Hyperthermia**
hyperpyrexia
intraoperative (CO) [Crider, Nightengale & Hill], 413
- malignant**
associated with masseter spasm, high incidence of, improper diagnostic test and (CO) [Ellis & Halsall], 291
ester or amide local anesthetics in (CO) [Moore], 294
and masseter spasm are not the same thing (CO) [Schwartz, Rockoff & Koka], 292
and masseter spasm are not the same thing (CO) [Van Der Spek, Spargo & Nahrwold], 291
no abnormal low molecular weight proteins identified in (LR) [Whistler, Isaacs & Badenhorst], 795
nonrigid, no myocardial involvement in (CR) [Kawamoto, Yuge, Kikuchi, Kodama & Morio], 93
susceptibility, muscle proteins in diagnosis of (OA) [Walsh, Brownell, Littmann & Paasuke], 473
swine susceptible to, effect of CO₂, calcium, digoxin, and potassium on (OA) [Gronert, Ahern, Milde & White], 24
unexpected, manifesting during outpatient anesthesia (CR) [Braude, Press, Moyes, Isaacs, Danilewitz & Kolb], 647
- Hyperthyroidism, See under Hormones**
- Hypocarbica, See under Carbon dioxide**
- Hypokalemia, See under Ions, potassium**
- Hypotension, See under Anesthetic techniques; Blood pressure; Complications; Position**
- Hypothermia, See also under Carbon dioxide; Complications**
blood gases
in response to changes in carbon dioxide tension during hypothermic cardiopulmonary bypass (OA) [Prough, Stump, Roy, Gravlee, Williams, Mills, Hinshelwood & Howard], 576
cardiopulmonary bypass, influence on neuromuscular transmission in absence of muscle relaxants (CR) [Buzello, Pollmaecher, Schluermann & Urbanyi], 279
- cerebral blood flow**
response of, to changes in carbon dioxide tension during hypothermic cardiopulmonary bypass (OA) [Prough, Stump, Roy, Gravlee, Williams, Mills, Hinshelwood & Howard], 576
- Hypoxia, See also under Complications**
and artificial ventilation of canine model of bronchopleural fistula (OA) [Mayers, Long, Breen & Wood], 739
and intraoperative air entrainment with Ohio® Modulus® anesthesia machine (CR) [Lanier], 266
- pulmonary vascular response**
effect of isoflurane and arterial oxygenation on, during one-lung ventilation (EV) [Benumof], 419
and hypoxic pulmonary vasoconstriction in dogs, influence of isoflurane on (OA) [Domino, Borowec, Alexander, Williams, Chen, Marshall & Marshall], 423
- shunt**
experimental, cardiac output effects of nitroglycerin in (CO) [Pearl & Rosenthal], 129
- Hypoxic pulmonary vasoconstriction, See under Lung(s)**
- I**
- Immune response**
following cardiopulmonary bypass associated with antigranulocyte antibody (CR) [Latson, Kickler & Baumgartner], 106
- Induced hypotension, See under Anesthetic techniques; Blood pressure**
- Induction**
anesthesia
with ketamine, heart rate and blood pressure effects of esmolol after (OA) [Gold, Brown, Coverman & Herrington], 718
- Infarction, See under Brain**
- Infection, See also under Complications**
- AIDS**
anesthetic management of patients with (CO) [Arden], 660
as hazard for anesthesiologist, intubation technique causing (CO) [Hein & Freeman], 536
- neutrophils**
inhibition by volatile anesthetics (EV) [Welch], 1
superoxide production and Ca²⁺ mobilization in, inhibition by halothane, enflurane, and isoflurane (OA) [Nakagawara, Takeshige, Takamatsu, Takahashi, Yoshitake & Minakami], 4
- Infiltration techniques, See under Anesthetic techniques**
- Insufflation, See under Anesthetic techniques**
- Intensive care**
midazolam infusion for sedation in (CR) [Shapiro, Westphal, White, Sladen & Rosenthal], 394
- Interactions**
cyclophosphamide
and halothane, failure to detect toxicity with (CR) [Lee, Erbguth & Stevens], 810
- Intercostal nerve block, See under Anesthetic techniques, regional**
- Intermittent positive pressure, See under Ventilation**
- Intracranial pressure, See under Brain; Monitoring**
- Intraocular pressure, See under Eye(s)**
- Intrathecal anesthesia, See under Anesthetic techniques**
- Intravenous anesthesia, See under Anesthetic techniques**
- Intubation, See also under Anesthetic techniques**
complications
as hazard for anesthesiologist, intubation technique causing (CO) [Hein & Freeman], 536
in guided orotracheal intubation in operating room using lighted stylet (CR) [Ellis, Jakymec, Kaplan, Stewart, Freeman, Bleyaert & Berkebile], 823
difficult, solving of (CO) [Carlson & Perkins], 537
- endotracheal**
atracurium or vecuronium for rapid sequence mode (CR) [Lennon, Olson & Gronert], 510
- complications**
esophageal perforation as (CR) [Johnson & Hood], 281
and improved technique for fiberoptic intubation (CO) [Green], 835
- difficult**
diabetic "stiff joint syndrome" and (CR) [Salzarulo & Taylor], 366
fiberoptic rhinoscope in (CO) [Eriksen], 128
with ketamine, heart rate and blood pressure effects of esmolol after (OA) [Gold, Brown, Coverman & Herrington], 718

reintubations, difficult, simple technique for (CR) [Hudes, Fisher & Guslitz], 515

technique

- blind (CO) [Shapiro & Unger], 297
- diabetic "stiff joint syndrome" and (CR) [Salzarulo & Taylor], 366
- improved, for fiberoptic intubation (CO) [Green], 835
- in infants with midline facial defects (CR) [Jobes & Nicolson], 643
- technique of laryngoscopy for difficult intubation (CO) [Gandhi & Durgos], 528

fiberoptic-assisted

- foreign body aspiration during (CO) [], 303

nasal

- fiberoptic rhinoscope in (CO) [Eriksen], 128

technique

- combined**
 - blind nasal, retrograde and fiberoptic-assisted, in difficult intubation (CO) [Carlson & Perkins], 537
- in guided orotracheal intubation in operating room using lighted stylet (CR) [Ellis, Jakymec, Kaplan, Stewart, Freeman, Ble-yaert & Berkebile], 823

Ions

calcium blocker

- in ischemic brain damage (OA) [Deshpande & Wieloch], 215
- and combined effects of verapamil and isoflurane on coronary blood flow and myocardial metabolism (OA) [Campos & Kapur], 778

effect on cardiac and skeletal muscle metabolism in malignant hyperthermia susceptible swine (OA) [Gronert, Ahern, Milde & White], 24

influx, receptor-mediated, halothane inhibition of (OA) [Yashima, Wada & Izumi], 466

local anesthetics and, effects of, on rhodopsin (OA) [Mashimo, Abe & Yoshiya], 447

mobilization in human neutrophils, inhibition by halothane, enflurane, and isoflurane (OA) [Nakagawara, Takeshige, Takamatsu, Takahashi, Yoshitake & Minakami], 4

mobilization of neutrophil cidal activity, inhibition by volatile anesthetics (EV) [Welch], 1

and muscle proteins in diagnosis of malignant hyperthermia susceptibility (OA) [Walsh, Brownell, Littmann & Paasuke], 473

verapamil

- and anesthetics in chronically instrumented dogs, cardiovascular effects of and interaction between (OA) [Chelly, Rogers, Hysing, Taylor, Hartley & Merin], 560
- and anesthetics in chronically instrumented dogs, cardiovascular effects of and interaction between (OA) [Rogers, Hysing, Merin, Taylor, Hartley & Chelly], 568

potassium

- effect on cardiac and skeletal muscle metabolism in malignant hyperthermia susceptible swine (OA) [Gronert, Ahern, Milde & White], 24

hypokalemia

- chronic, and intraoperative dysrhythmias (CO) [Glaser], 408
- chronic, and intraoperative dysrhythmias (CO) [Vitez & Soper], 409
- plasma, failure of succinylcholine to alter, in children with myelomeningocele (CR) [Dierdorf, McNiece, Rao, Wolfe & Means], 272
- tolerance to, β -adrenoceptor blockade and (CO) [Torretti, Gerson, Oats & Lange], 846

Ischemia, See under Brain; Heart

Ischemic necrosis, See under Complications

Isoflurane, See under Anesthetics, volatile

J

Jugular vein, See under Veins

K

Ketamine, See under Anesthetics, intravenous

Ketamine isomers, See under Anesthetics, intravenous

Kidney

blood

- in calcium blocking drugs and anesthetics in chronically instrumented dogs (OA) [Chelly, Rogers, Hysing, Taylor, Hartley & Merin], 560
- in calcium blocking drugs and anesthetics in chronically instrumented dogs (OA) [Rogers, Hysing, Merin, Taylor, Hartley & Chelly], 568

clearance

creatinine

- for early detection of posttraumatic renal dysfunction (OA) [Shin, Mackenzie & Helrich], 605

free water

- for early detection of posttraumatic renal dysfunction (OA) [Shin, Mackenzie & Helrich], 605

failure

- posttraumatic, creatinine clearance for early detection of (OA) [Shin, Mackenzie & Helrich], 605

Kramer, M.,

Invasive Procedures. A Year in the World of Two Surgeons (BR), 135

L

Lactate, See under Metabolism

Larynx

cricoid pressure

- awake intubation, or both? (CO) [Kempen], 831
- awake intubation, or both? (CO) [Salem, Joseph, Heyman & Paulsian], 832
- local anesthetics administered topically: sterile or not? (CO) [Halevy], 535

Laser, See under Surgery

Left atrial pressure, See under Monitoring

Left ventricular end-diastolic pressure, See under Blood pressure

Libraries, See under Anesthesia; Education

Lidocaine, See under Anesthetics, local; Toxicity

Lidocaine hydrocarbonate, See under Anesthetics, local

Lidocaine hydrochloride, See under Anesthetics, local

Lighted stylet, See under Anesthetic techniques

Liver

amino acids

- influence of nitrous oxide on (OA) [Viña, Davis & Hawkins], 490

hepatotoxicity

- postoperative, after halothane or enflurane anesthesia in patients with hyperthyroidism (CR) [Seino, Dohi, Aiyoshi, Mizutani, Nakamura & Naito], 122

Local anesthesia, See under Anesthetics

Lofentanil, See under Analgesics, narcotic

Lumbar anesthesia, See under Anesthetic techniques

Lung(s)

blood flow

- effect of isoflurane and arterial oxygenation on, during one-lung ventilation (EV) [Benumof], 419
- and hypoxic pulmonary vasoconstriction in dogs, influence of isoflurane on (OA) [Domino, Borowec, Alexander, Williams, Chen, Marshall & Marshall], 423
- in response to moderate changes in P_{aCO_2} after cardiopulmonary bypass (OA) [Salmenperä & Heinonen], 311

bronchopleural fistula

- cutaneous, sudden intraoperative deterioration in ventilation due to (CR) [Brister, Barnette & Reardon], 802
- use of conventional ventilator in presence of (CO) [Baxter], 835

bronchus

- angles in, in infants and children (CR) [Kubota, Toyoda, Nagata, Kubota, Sawada, Murakawa & Fujimori], 374

compliance

- in hyperoxia in rabbits, intravenous bleomycin does not alter (OA) [Matalon, Harper, Nickerson & Olszowka], 614
- and use of conventional ventilator in presence of bronchopleural fistula (CO) [Baxter], 835

edema

- and artificial ventilation of canine model of bronchopleural fistula (OA) [Mayers, Long, Breen & Wood], 739
- in left heart failure in amniotic fluid embolism (CR) [Girard, Mal, Laine, Petitpretz, Rain & Duroux], 262
- oleic acid-induced, vasodilators worsen gas exchange in dog in (OA) [Bishop & Cheney], 435

fibrosis

- in hyperoxia in rabbits, intravenous bleomycin does not alter (OA) [Matalon, Harper, Nickerson & Olszowka], 614

hypoxic pulmonary vasoconstriction

- effect of isoflurane and arterial oxygenation on, during one-lung ventilation (EV) [Benumof], 419
- and gas exchange in dog oleic-acid lung injury (OA) [Bishop & Cheney], 435
- influence of isoflurane on, in dogs (OA) [Domino, Borowec, Alexander, Williams, Chen, Marshall & Marshall], 423

oxygen toxicity

- effects of, in rabbits, intravenous bleomycin does not alter (OA) [Matalon, Harper, Nickerson & Olszowka], 614
- increased N-pentane excretion in humans as consequence of (OA) [Morita, Snider & Inada], 730

pulmonary edema

- furosemide may be detrimental in treatment of (CO) [Ebert, Grimes & Niemann], 299
- furosemide may be detrimental in treatment of (CO) [Lydon], 298

shunt

- experimental, cardiac output effects of nitroglycerin in (CO) [Pearl & Rosenthal], 129

shunting

- effect of isoflurane and arterial oxygenation on, during one-lung ventilation (EV) [Benumof], 419
- and hypoxic pulmonary vasoconstriction in dogs, influence of isoflurane on (OA) [Domino, Borowec, Alexander, Williams, Chen, Marshall & Marshall], 423
- in response to moderate changes in PaCO_2 after cardiopulmonary bypass (OA) [Salmenperä & Heinonen], 311

trachea

- angles in, in infants and children (CR) [Kubota, Toyoda, Nagata, Kubota, Sawada, Murakawa & Fujimori], 374
- local anesthetics administered topically: sterile or not? (CO) [Halvey], 535

vascular resistance

- experimental, cardiac output effects of nitroglycerin in (CO) [Pearl & Rosenthal], 129
- in response to moderate changes in PaCO_2 after cardiopulmonary bypass (OA) [Salmenperä & Heinonen], 311

ventilation

- end-tidal CO_2 analyzers in proper positioning of double-lumen tubes (CO) [Shafieha, Sit, Kartha, Sabnis, Hajianpour, Pappas, Yu, Elam & Balagot], 844

water

- and gas exchange in dog oleic-acid lung injury (OA) [Bishop & Cheney], 435

M**Machines, See under Equipment****Magnetometer, See under Magnetometer****Malignant hyperthermia, See under Hyperthermia****Mannheimer, J. S., and Lampe, G. N.**

- Clinical Transcutaneous Electrical Nerve Stimulation* (BR), 671

Mask induction, See under Anesthesia, pediatric; Anesthetic techniques**Masks, anesthesia, See under Equipment****Mass spectrometer, See under Equipment; Monitoring****Masseter muscle, See under Muscle, skeletal****Measurement techniques****autoradiography**

- in measurement of regional brain glucose utilization in rats during etomidate anesthesia (OA) [Davis, Mans, Biebuyck & Hawkins], 751

cardiac output

- and effect of ventilation on baseline pulmonary artery temperature (CO) [Gravlee & Johnston], 293

echocardiography

- in assessment of hemodynamic and cardiovascular effects of isoflurane and halothane in children (OA) [Wolf, Neal & Peterson], 328

electromyography

- caution in making clinical recommendations based on (CO) [Kopman], 530
- caution in making clinical recommendations based on (CO) [Lee & Chen], 529
- in monitoring of neuromuscular function (CO) [Ali], 532
- in monitoring of neuromuscular function (CO) [Kopman], 532

magnetometer

- for assessment of load compensation during halothane anesthesia (OA) [Moote, Knill & Clement], 582

neuromuscular blockade

- electromyographic measurements and, caution in making clinical recommendations based on (CO) [Kopman], 530
- electromyographic measurements and, caution in making clinical recommendations based on (CO) [Lee & Chen], 529

pulse oximetry

- for assessment of collateral arterial flow (CO) [Nowak, Moorthy & McNiece], 527

thermodilution

- and effect of ventilation on baseline pulmonary artery temperature (CO) [Gravlee & Johnston], 293

Mechanical ventilation, See under Ventilation**Membrane****model**

- in study of membrane fluidizing effect of anesthetics (OA) [Ueda, Hirakawa, Arakawa & Kamaya], 67

Meningitis, See under Complications**Meperidine, See under Analgesics, intravenous****Metabolism, See also under Brain****carbon dioxide production**

- and resting metabolic rate of critically ill patient: measured versus predicted (OA) [Weissman, Kemper, Askanazi, Hyman & Kinney], 673

diabetes

- with renal failure, autonomic neuropathy in (CR) [Cicarelli, Ford & Tsueda], 283

- fasting**
and intraoperative glucose during neurosurgery (OA) [Sieber, Smith, Kupferberg, Crosby, Uzzell, Buzby, March & Nann], 453
- fatty acids**
and intraoperative glucose during neurosurgery (OA) [Sieber, Smith, Kupferberg, Crosby, Uzzell, Buzby, March & Nann], 453
- glucose**
intraoperative, during neurosurgery (OA) [Sieber, Smith, Kupferberg, Crosby, Uzzell, Buzby, March & Nann], 453
- hyperglycemia**
and intraoperative glucose during neurosurgery (OA) [Sieber, Smith, Kupferberg, Crosby, Uzzell, Buzby, March & Nann], 453
- lactate**
and intraoperative glucose during neurosurgery (OA) [Sieber, Smith, Kupferberg, Crosby, Uzzell, Buzby, March & Nann], 453
- oxygen consumption**
in relation to alfentanil concentration in unanesthetized dogs (OA) [Arndt, Bednarski & Parasher], 345
and resting metabolic rate of critically ill patient: measured versus predicted (OA) [Weissman, Kemper, Askanazi, Hyman & Kinney], 673
- respiratory quotient**
and resting metabolic rate of critically ill patient: measured versus predicted (OA) [Weissman, Kemper, Askanazi, Hyman & Kinney], 673
- Metacurine, See under Neuromuscular relaxants**
- Methadone, See under Analgesics; Pharmacodynamics**
- Methemoglobinemia, See under Blood**
- Methionine synthase, See under Enzymes**
- Methionine synthetase, See under Enzymes**
- Metocurine, See under Neuromuscular relaxants**
- Midazolam, See under Anesthetics, intravenous**
- Military, anesthesia in, See under Anesthesia**
- Minoxidil, See under Pharmacology**
- Mitosis, See under Brain**
- Monitoring**
airway pressure
detection of venous air embolism by (CR) [Sloan & Kimovec], 645
- alarms**
anesthesia (CO) [Samuels], 128
that speak (CO) [Burke], 655
anesthesia and, for pediatric radiation therapy (CO) [Davies], 406
- arterial venous pressure**
error in, due to pulmonary artery catheter proximal port dysfunction (CO) [Curley, Harte & Sheikh], 662
- blood pressure**
and pulse oximetry for assessment of collateral arterial flow (CO) [Nowak, Moorthy & McNiece], 527
and tidy adjunct to arterial cannulation (CO) [Sabo & Smith], 534
- blood pressures**
for intraoperative radiation therapy (CR) [Bashein, Russell & Momii], 804
- carbon dioxide**
for detection of air embolism in neurosurgical patients (OA) [Glenski & Cucchiara], 546
end-tidal CO₂ analyzers in proper positioning of double-lumen tubes (CO) [Shafieha, Sit, Kartha, Sabnis, Hajianpour, Pappas, Yu, Elam & Balagot], 844
transcutaneous, for detection of venous air embolism (OA) [Glenski, Cucchiara & Michenfelder], 541
- central venous pressure**
in elective coronary bypass surgery (CO) [Liban & Davies], 664
methylene blue aids multiple-lumen catheter replacement for (CO) [Wong & Lupei], 842
- echocardiography**
transesophageal
for detection of venous air embolism (OA) [Glenski, Cucchiara & Michenfelder], 541
- electrocardiography**
with advanced portable electrocardioscope (CO) [Diehl & Loeser], 301
intravascular, multiorificed catheter placement with (CO) [Johans], 411
in study of isoflurane and tolerance to pacing-induced myocardial ischemia (OA) [Tarnow, Marksches-Hornung & Schulte-Sasse], 147
- electroencephalography**
in study of power spectrum changes during induction with enflurane (OA) [Levy], 688
- electromyography**
caution in making clinical recommendations based on (CO) [Kopman], 530
caution in making clinical recommendations based on (CO) [Lee & Chen], 529
in monitoring of neuromuscular function (CO) [Ali], 532
in monitoring of neuromuscular function (CO) [Kopman], 532
- end tidal carbon dioxide**
should it be standard of care in obstetric anesthesia? (CO) [Choi, Tremper & Garber], 829
- fetal heart rate**
and maternal heart rate, during epidural epinephrine test dose (CO) [Chestnut & Wiener], 839
- intracranial pressure**
isoflurane and (CO) [Finck], 833
isoflurane and (CO) [Grosslight & Bedford], 834
- left atrial pressure**
in positive end-expiratory pressure during continuous venous air embolism in dog (OA) [Pearl & Larson], 724
- mass spectrometer**
better designs for, for use in awake patient (CO) [Norman, Zeig & Ahmad], 664
- minimal standards**
in 1986 (CO) [Modell], 840
- monitors**
computerized anesthesia records may be dangerous (CO) [Noel], 300
- in myocardial ischemia with halothane administration in coronary stenosis (OA) [Buffington], 632
- nerve stimulator**
and electromyographic measurements, caution in making clinical recommendations based on (CO) [Kopman], 530
and electromyographic measurements, caution in making clinical recommendations based on (CO) [Lee & Chen], 529
- oxygen**
for detection of air embolism in neurosurgical patients (OA) [Glenski & Cucchiara], 546
pulse oximetry for assessment of collateral arterial flow (CO) [Nowak, Moorthy & McNiece], 527
transcutaneous, for detection of venous air embolism (OA) [Glenski, Cucchiara & Michenfelder], 541
- pulmonary artery catheter**
in study of isoflurane and tolerance to pacing-induced myocardial ischemia (OA) [Tarnow, Marksches-Hornung & Schulte-Sasse], 147

- pulmonary artery pressure**
 - elective coronary bypass surgery without (CO) [Liban & Davies], 664
 - error in, due to pulmonary artery catheter proximal port dysfunction (CO) [Curley, Harte & Sheikh], 662
 - in frozen pulmonary artery catheter (CO) [Zahl, Murray & Jobes], 662
- real-time ultrasonic guidance**
 - for percutaneous puncture of internal jugular vein (CO) [Yonei, Nonoue & Sari], 830
- right atrial pressure**
 - in positive end-expiratory pressure during continuous venous air embolism in dog (OA) [Pearl & Larson], 724
- transconjunctival O₂**
 - and cerebral blood flow during carotid artery occlusion (CR) [Gibson, McMichan & Cucchiara], 277
- transesophageal echocardiography**
 - in patient undergoing closed-chest massage (CR) [Clements, de Bruijn & Kisslo], 826
- ventilation**
 - for intraoperative radiation therapy (CR) [Bashein, Russell & ii], 804
- Monitoring equipment, *See under* Equipment**
- Monitors, *See under* Monitoring; Equipment**
- Morphine, *See under* Analgesics, narcotic; Anesthetics, intravenous; Pharmacodynamics**
- Movement of patient, *See under* Complications**
- Multiorificed catheter, *See under* Equipment**
- Muscle**
 - diseases**
 - malignant hyperthermia, muscle proteins in (OA) [Walsh, Brownell, Littmann & Paasuke], 473
 - electromyography**
 - in study of physiology of alfentanil-induced rigidity (OA) [Benthuisen, Smith, Sanford, Head & Dec-Silver], 440
 - neuromuscular function**
 - monitoring of (CO) [Ali], 532
 - monitoring of (CO) [Kopman], 532
 - rigidity**
 - alfentanil-induced, physiology of (OA) [Benthuisen, Smith, Sanford, Head & Dec-Silver], 440
 - skeletal**
 - diaphragm**
 - function of, effect of halothane on, in pentobarbital-anesthetized dogs (OA) [Clerque, Viires, Lemesle, Aubier, Viars & Pariente], 181
 - malignant hyperthermia, muscle proteins in (OA) [Walsh, Brownell, Littmann & Paasuke], 473
 - masseter**
 - malignant hyperthermia associated with, high incidence of, improper diagnostic test and (CO) [Ellis & Halsall], 291
 - spasm, and malignant hyperthermia are not the same thing (CO) [Schwartz, Rockoff & Koka], 292
 - spasm, and malignant hyperthermia are not the same thing (CO) [Van Der Spek, Spargo & Nahrwold], 291
 - myelomeningocele**
 - failure of succinylcholine to alter plasma potassium in children with (CR) [Dierdorf, McNiece, Rao, Wolfe & Means], 272
 - proteins**
 - low molecular weight, no abnormal, identified in human malignant hyperthermic muscle (LR) [Whistler, Isaacs & Badenhorst], 795

- smooth**
 - airway**
 - prolonged hyporesponsiveness of, to histamine following general anesthesia (OA) [Amyot, Michoud, St-Jean, Chapleau & Couture], 758
- Myasthenia gravis, *See under* Neuromuscular disease; Neuromuscular junction; Complications**
- Myelomeningocele, *See under* Muscle, skeletal**
- Myocardial contusion, *See under* Heart**
- Myocardial function, *See under* Heart**
- Myocardial ischemia, *See under* Complications; Heart**
- Myocardial metabolism, *See under* Heart**

N

- Nalmefene, *See under* Antagonist, narcotic**
- Naloxone, *See under* Antagonists, narcotic**
- Narcotics, *See under* Analgesics, narcotic**
- Nasal airway, *See under* Equipment**
- Nasal intubation, *See under* Intubation**
- Nasal resistance, *See under* Ventilation**
- Nasogastric tubes, *See under* Equipment**
- Nebulizers, *See under* Equipment**
- Neonatal heart, *See under* Heart**
- Neostigmine, *See under* Antagonists, neuromuscular relaxants**
- Nerve stimulator, *See under* Monitoring; Neuromuscular transmission**
- Nerve(s)**
 - injury**
 - in neurotoxicity of local anesthetics (OA) [Myers, Kalichman, Reisner & Powell], 29
 - neuromuscular function**
 - monitoring of (CO) [Ali], 532
 - monitoring of (CO) [Kopman], 532
- Neurogenesis, *See under* Brain**
- Neurologic surgery, *See under* Surgery**
- Neurolytic sympathetic block, *See under* Anesthetic techniques**
- Neuromuscular blockade, *See under* Measurement techniques**
- Neuromuscular disease**
 - myasthenia gravis**
 - vecuronium for muscle relaxation in patients with (CR) [Buzello, Noeldge, Krieg & Brobmann], 507
- Neuromuscular function, *See under* Muscle; Nerve(s)**
- Neuromuscular junction**
 - diaphragmatic dysfunction at, halothane-induced (OA) [Clerque, Viires, Lemesle, Aubier, Viars & Pariente], 181
 - myasthenia gravis**
 - intravenous dantrolene in patient with (CR) [Mora, Eisenkraft & Papatestas], 371
- Neuromuscular relaxants**
 - alcuronium**
 - pharmacokinetics of, applied to calculation of bolus and infusion dosage regimens (MI) [Shanks], 72
 - atracurium**
 - continuous infusion of, in children (OA) [Goudsouzian, Martyn, Rudd, Liu & Lineberry], 171
 - level of paralysis recovery for antagonism of, with edrophonium (CR) [Hennart, d'Hollander, Plasman & De Jonckheere], 384
 - neostigmine and edrophonium antagonism of varying intensity neuromuscular blockade induced by (OA) [Rupp, McChristian, Miller, Taboada & Cronnelly], 711
 - pharmacokinetics of, applied to calculation of bolus and infusion dosage regimens (MI) [Shanks], 72

- for rapid sequence endotracheal intubation (CR) [Lennon, Olson & Gronert], 510
single *versus* divided doses of (CR) [Weinberg, Stirt & Longnecker], 111
- dantrolene**
intravenous, in patient with myasthenia gravis (CR) [Mora, Eisenkraft & Papatestas], 371
for outpatient anesthesia, unexpected hyperthermia manifesting during (CR) [Braude, Press, Moyes, Isaacs, Danilewitz & Kolb], 647
- edrophonium**
atracurium neuromuscular blockade with, level of paralysis recovery for antagonism of (CR) [Hennart, d'Hollander, Plasman & De Jonckheere], 384
- gallamine**
pharmacokinetics of, applied to calculation of bolus and infusion dosage regimens (MI) [Shanks], 72
- metacurine**
and myocardial ischemia (CO) [Levy], 659
and myocardial ischemia (CO) [Thomson & Putnins], 660
- metocurine**
pharmacokinetics of, applied to calculation of bolus and infusion dosage regimens (MI) [Shanks], 72
- pancuronium**
and myocardial ischemia (CO) [Levy], 659
and myocardial ischemia (CO) [Thomson & Putnins], 660
neostigmine and edrophonium antagonism of varying intensity neuromuscular blockade induced by (OA) [Rupp, McChristian, Miller, Taboada & Cronnelly], 711
pharmacokinetics of, applied to calculation of bolus and infusion dosage regimens (MI) [Shanks], 72
and prophylactic nitroglycerin during coronary artery bypass surgery (OA) [Gallagher, Moore, Jose, Botros & Clark], 785
- succinylcholine**
cerebral stimulation following, in dogs (OA) [Lanier, Milde & Michenfelder], 551
failure of, to alter plasma potassium in children with myelomeningocele (CR) [Dierdorf, McNiece, Rao, Wolfe & Means], 272
and open eye injury (CO) [Donlon], 525
and open eye injury (CO) [Jantzen, Hackett & Earnshaw], 524
and open eye injury (CO) [Libonati, Leahy & Ellison], 525
in peripartum patients (OA) [Leighton, Cheek, Gross, Apfelbaum, Shantz, Gutsche & Rosenberg], 202
- tubocurarine**
pharmacokinetics of, applied to calculation of bolus and infusion dosage regimens (MI) [Shanks], 72
- vecuronium**
for muscle relaxation in patients with myasthenia gravis (CR) [Buzello, Noeldge, Krieg & Brobmann], 507
neostigmine and edrophonium antagonism of varying intensity neuromuscular blockade induced by (OA) [Rupp, McChristian, Miller, Taboada & Cronnelly], 711
pharmacokinetics of, applied to calculation of bolus and infusion dosage regimens (MI) [Shanks], 72
priming dose of, pulmonary aspiration after (CR) [Musich & Walts], 517
for rapid sequence endotracheal intubation (CR) [Lennon, Olson & Gronert], 510
refining priming principle for, during rapid-sequence induction of anesthesia (OA) [Taboada, Rupp & Miller], 243
sufentanil with, bradycardia and asystole following (CR) [Starr, Sethna & Estafanous], 521
- Neuromuscular transmission**
influence of hypothermic cardiopulmonary bypass on, in absence of muscle relaxants (CR) [Buzello, Pollmaecher, Schluermann & Urbanyi], 279
- nerve stimulator**
and electromyographic measurements, caution in making clinical recommendations based on (CO) [Kopman], 530
and electromyographic measurements, caution in making clinical recommendations based on (CO) [Lee & Chen], 529
- Neuronal necrosis, *See under* Brain**
- Neurons, *See under* Spinal cord**
- Neurosurgical anesthesia, *See under* Anesthesia**
- Neurotransmitters**
acetylcholine
inhibition of, in physostigmine antagonism of flunitrazepam (OA) [Vatashsky, Beilin, Razin & Weinstock], 248
- Neutrophils, *See under* Blood; Infection**
- Nicotinic receptors, *See under* Receptors**
- Nitrogen, *See under* Gases, nonanesthetic**
- Nitroglycerin, *See under* Heart; Pharmacology; Sympathetic nervous system, sympatholytic agents**
- Nitroprusside, *See under* Anesthetic techniques, hypotension, induced**
- Nitrous oxide, *See under* Anesthetics, gases**
- Nonanesthetic gases, *See under* Gases**
- O**
- Obstetric anesthesia, *See under* Anesthesia**
- Occlusion pressure response, *See under* Carbon dioxide**
- Ocular surgery, *See under* Surgery**
- One-lung ventilation, *See under* Ventilation**
- Ophthalmic anesthesia, *See under* Anesthesia**
- Ophthalmology, *See under* Surgery**
- Opiate anesthesia, *See under* Anesthetic techniques**
- Organizations**
Society for Neurosurgical Anesthesia and Neurologic Supportive Care Annual Meeting, October 11, 1985 (SM), 539
- Orotracheal anesthesia, *See under* Anesthetic techniques**
- Outpatient anesthesia, *See under* Anesthesia**
- Outpatient surgery, *See under* Surgery**
- Oximeter, *See under* Equipment**
- Oxygen, *See also under* Metabolism**
blood levels
effect of isoflurane and arterial oxygenation on, during one-lung ventilation (EV) [Benumof], 419
and hypoxic pulmonary vasoconstriction in dogs, influence of isoflurane on (OA) [Domino, Borowec, Alexander, Williams, Chen, Marshall & Marshall], 423
- consumption**
in endotracheal intubation in normal subjects and postoperative patients (OA) [Weissman, Askanazi, Rosenbaum, Damask, Hyman & Kinney], 353
and resting metabolic rate of critically ill patient: measured versus predicted (OA) [Weissman, Kemper, Askanazi, Hyman & Kinney], 673
- oxyhemoglobin dissociation**
curve in humans, isoflurane and (CO) [Lanza & Mercadante], 413
- toxicity**
effects of, in rabbits, intravenous bleomycin does not alter (OA) [Matalon, Harper, Nickerson & Olszowka], 614
increased N-pentane excretion in humans as consequence of (OA) [Morita, Snider & Inada], 730

- transcutaneous
 - for detection of air embolism in neurosurgical patients (OA) [Glenski & Cucchiara], 546
 - for detection of venous air embolism (OA) [Glenski, Cucchiara & Michenfelder], 541
- Oxygen consumption, *See under Metabolism*
- Oxygen consumption, cerebral, *See under Brain*
- Oxygen tension, *See under Brain*
- Oxygen toxicity, *See under Lung(s)*
- Oxyhemoglobin dissociation, *See under Oxygen*

P

Pain

- experimental
 - prolonged opioid antagonism with nalmefene during (OA) [Gal & DiFazio], 175
- management
 - epidural block for, facilitated by field block (CO) [Catchlove], 536
- measurement
 - prolonged opioid antagonism with nalmefene during (OA) [Gal & DiFazio], 175
- postoperative
 - methadone and morphine compared in control of (OA) [Gourlay, Willis & Lamberty], 322
 - morphine in, influence of naloxone on analgesia and respiratory depression following (OA) [Rawal, Schött, Dahlström, In-turisi, Tandon, Sjöstrand & Wennhager], 194

Pancuronium, *See under Neuromuscular relaxants*Papillary muscle, *See under Heart*

Parasympathetic nervous system

- atropine
 - blockade with, in study of effects of inhalation anesthetics on atrioventricular conduction times in dogs (OA) [Atlee, Brownlee & Burstrom], 703

Pediatric anesthesia, *See under Anesthesia*PEEP, *See under Hemodynamics; Ventilation*Perforation, *See under Airway*Perfusion scans, *See under Heart*Peridural anesthesia, *See under Anesthetic techniques*Pharmacodynamics, *See also under Pharmacology*

- methadone
 - and morphine, compared in postoperative pain control (OA) [Gourlay, Willis & Lamberty], 322
 - morphine
 - and methadone, compared in postoperative pain control (OA) [Gourlay, Willis & Lamberty], 322
 - succinylcholine
 - in peripartum patients (OA) [Leighton, Cheek, Gross, Apfelbaum, Shantz, Gutsche & Rosenberg], 202
- Pharmacokinetics**
- clonidine
 - rectal, in perioperative period (CR) [Johnston, Nicholas, Lawson, Wallfisch & Arens], 288
 - dantrolene, and unexpected hyperthermia manifesting during out-patient anesthesia (CR) [Braude, Press, Moyes, Isaacs, Dan-ilewitz & Kolb], 647
 - droperidol
 - in anesthetized patients (OA) [Fischler, Bonnet, Trang, Jacob, Levron, Flaisler & Vourc'h], 486
 - fentanyl
 - in patients undergoing abdominal aortic surgery (OA) [Hudson, Thomson, Cannon, Friesen & Meatherall], 334

kinetics

- of nondepolarizing neuromuscular relaxants applied to calculation of bolus and infusion dosage regimens (MI) [Shanks], 72

sufentanil

- potency of (CO) [Goldberg & McKenna], 667
- potency of (CO) [Griffiths], 667
- potency of (CO) [Hilberman & Hyer], 665

Pharmacology

cimetidine

- intravenous, in intensive care unit patients (CR) [Iberti, Paluch, Helmer, Murgolo & Benjamin], 87

clonidine

- and fentanyl requirements (OA) [Ghignone, Quintin, Duke, Kehler & Calvillo], 36

digoxin

- effect on cardiac and skeletal muscle metabolism in malignant hyperthermia susceptible swine (OA) [Gronert, Ahern, Milde & White], 24

dose-response

- of nondepolarizing neuromuscular relaxants applied to calculation of bolus and infusion dosage regimens (MI) [Shanks], 72

drug interactions

- in calcium blocking drugs and anesthetics in chronically instrumented dogs (OA) [Chelly, Rogers, Hysing, Taylor, Hartley & Merin], 560
- in calcium blocking drugs and anesthetics in chronically instrumented dogs (OA) [Rogers, Hysing, Merin, Taylor, Hartley & Chelly], 568

esmolol

- heart rate and blood pressure effects of, after ketamine induction and intubation (OA) [Gold, Brown, Coverman & Herring-ton], 718

flunarizine

- ameliorates ischemic brain damage in rat (OA) [Deshpande & Wieloch], 215

furosemide

- may be detrimental in treatment of pulmonary edema (CO) [Ebert, Grimes & Niemann], 299
- may be detrimental in treatment of pulmonary edema (CO) [Ly-don], 298

hydralazine

- and gas exchange in dog oleic-acid lung injury (OA) [Bishop & Cheney], 435

minoxidil

- and gas exchange in dog oleic-acid lung injury (OA) [Bishop & Cheney], 435

nitroglycerin

- cardiac output effects of, in experimental lung injury (CO) [Pearl & Rosenthal], 129
- intravenous, to prevent intraoperative myocardial ischemia during noncardiac surgery (CO) [Coriat], 409
- for use in preeclampsia (CO) [Sosis & Leighton], 657

pharmacodynamics

- of nondepolarizing neuromuscular relaxants applied to calculation of bolus and infusion dosage regimens (MI) [Shanks], 72

phenylephrine eyedrops

- and anesthesia (CR) [Van Der Spek & Hantler], 812

trimethaphan

- for use in preeclampsia (CO) [Sosis & Leighton], 657

vasoconstrictor

- and anesthesia (CR) [Van Der Spek & Hantler], 812

verapamil

- and isoflurane, combined effects of, on coronary blood flow and myocardial metabolism (OA) [Campos & Kapur], 778

Phenylephrine, *See under Sympathetic nervous system*

Phenylephrine eyedrops, *See under Pharmacology*
Physostigmine, *See under Antagonists, neuromuscular relaxants*
Pichlmayr, I., Lips, U., and Kunkel, H.
The Electroencephalogram in Anesthesia (BR), 304
Pneumothorax, *See under Complications*
Podiatry, *See under Surgery*
Polymorphous ventricular tachycardia, *See under Heart*
Position
 effects
 cardiovascular
 in young boy (CR) [Schroeder & Jebson], 377
 hypotension
 supine, syndrome of, in young boy (CR) [Schroeder & Jebson], 377
 prone
 head and chin cushioned face-rest for surgery in (CO) [Ray], 301
 sitting
 and hemodynamic effects of positive end-expiratory pressure during continuous venous air embolism in dog (OA) [Pearl & Larson], 724
 for monitoring of neurosurgical patients for detection of air embolism (OA) [Glenski & Cucchiara], 546
 subclavian vein catheter as source of air emboli in (CO) [Kloosterboer, Springman & Coursin], 411
Positive end-expiratory pressure, *See under Ventilation*
Postoperative pain, *See under Pain*
Potassium, *See under Ions*
Potency
 single *versus* divided doses of atracurium (CR) [Weinberg, Stirt & Longnecker], 111
Preeclampsia, *See under Complications; Pregnancy*
Pregnancy, *See also under Anesthesia*
 preeclampsia
 defense of trimethaphan for use in (CO) [Sosis & Leighton], 657
 teratogenicity
 studies of, of nitrous oxide, halothane, isoflurane, and enflurane in Sprague-Dawley rats (OA) [Mazze, Fujinaga, Rice, Harris & Baden], 339
Preload, *See under Heart*
Prematurity, *See under Age factors*
Premedication
 clonidine
 and fentanyl requirements (OA) [Ghignone, Quintin, Duke, Kehler & Calvillo], 36
Priming principle, *See under Anesthetic techniques*
Prone position, *See under Position*
Propranolol, *See under Sympathetic nervous system*
Protection, cerebral, *See under Brain*
Protein, *See also under Muscle*
 muscle, electrophoresis of, is not method for diagnosis of malignant hyperthermia susceptibility (OA) [Walsh, Brownell, Littmann & Paasuke], 473
Prys-Roberts, C., and Hug, C. C., Jr. (eds.)
Pharmacokinetics of Anaesthesia (BR), 671
Pulmonary artery catheter, *See under Complications; Equipment; Monitoring*
Pulmonary artery perforation, *See under Complications*
Pulmonary artery pressure, *See under Monitoring*
Pulmonary artery wedge pressure, *See under Blood pressure*
Pulmonary capillary wedge pressure, *See under Blood pressure*
Pulmonary edema, *See under Complications; Lung(s)*
Pulmonary vascular response, *See under Hypoxia*
Pulse oximeter, *See under Equipment*
Pulse oximetry, *See under Measurement techniques*

Pulse rate, *See under Heart*
Puncture, *See under Anesthetic techniques*

R

Radiation therapy, *See under Anesthesia*
Rapid sequence anesthesia, *See under Anesthetic techniques*
Rate response, *See under Heart*
Raynaud's phenomenon, *See under Sympathetic nervous system*
Real-time ultrasonic guidance, *See under Equipment; Monitoring*
Receptors
 acetylcholine
 from *Torpedo californica*, actions of general anesthetics on (OA) [Firestone, Sauter, Braswell & Miller], 694
 adrenergic
 isoflurane, interaction in isolated rat parotid gland (OA) [Östman, Henriksson, Sundström & Reiz], 734
 benzodiazepinase
 and physostigmine antagonism of flunitrazepam (OA) [Vatashsky, Beilin, Razin & Weinstock], 248
 nicotinic
 halothane inhibits, in primary culture of bovine adrenal medulla cells (OA) [Yashima, Wada & Izumi], 466
Records
 anesthesia
 computerized, may be dangerous (CO) [Noel], 300
Recovery
 adverse respiratory events occurring in recovery room after general anesthesia (CR) [Beard, Jick & Walker], 269
Reflexes
 baroreceptor
 influence of venous return on, during lumbar epidural anesthesia (OA) [Baron, Decaux-Jacolot, Edouard, Berdeaux & Samii], 188
 baroreflex
 effects of lidocaine on, in conscious dogs (OA) [Edouard, Berdeaux, Langlois, Samii, Giudicelli & Noviant], 316
Regional anesthesia, *See under Anesthetic techniques*
Renal clearance, *See under Kidney*
Renal failure, *See under Kidney*
Renin-angiotensin, *See under Hormones*
Reports of scientific meetings, *See under Organizations*
Research
 animal rights
 and biomedical research (EV) [Shapiro], 142
Resistance, *See under Airway; Ventilation*
Respiratory acidosis, *See under Acid-base equilibrium*
Respiratory alkalosis, *See under Acid-base equilibrium*
Respiratory depression, *See under Analgesics, narcotic; Brain; Ventilation*
Respiratory quotient, *See under Metabolism*
Rhinoscope, *See under Equipment*
Right atrial pressure, *See under Monitoring*
Rigidity, *See under Muscle*

S

Scavengers, *See under Equipment*
Seizures, *See under Brain*
Shunt, *See under Hypoxia; Lung(s)*
Shunting, *See under Lung(s)*
Silverman, W. A.
Human Experimentation, (BR), 848
Sitting position, *See under Position*
Skeletal muscle, *See under Muscle*

Smooth muscle, See under Muscle

**Society for Neurosurgical Anesthesia and Neurologic Supportive
Care, See under Organizations**

Sore throat, See under Complications

Spinal anesthesia, See under Anesthetic techniques

Spinal cord

neurons

WDR

spinal sufentanil effects on (OA) [Aoki, Senami, Kitahata & Collins], 225

pain coding (OA) [Yaksh, Harty & Onofrio], 590

Spinal narcotics, See under Anesthetic techniques

Stellate block, See under Anesthetic techniques

Stroke, See under Brain; Complications

Succinylcholine, See under Neuromuscular relaxants; Pharmacodynamics

Suctioning, See under Airway

**Sufentanil, See under Analgesics, narcotic; Anesthetics, intravenous;
Pharmacokinetics**

Surgery

aorta

pharmacokinetics of fentanyl in patients undergoing (OA) [Hudson, Thomson, Cannon, Friesen & Meatherall], 334

bronchoscopy

laser perforation following (CR) [Emery], 120

cardiac

elective, without pulmonary artery catheter monitoring (CO) [Liban & Davies], 664

heparin resistance prior to (CR) [Anderson], 504

in myocardial ischemia with halothane administration in coronary stenosis (OA) [Buffington], 632

neuropsychiatric complications after, cerebral protection by barbiturate (OA) [Nussmeier, Arlund & Slogoff], 165

pancuronium in, and myocardial ischemia (CO) [Levy], 659

pancuronium in, and myocardial ischemia (CO) [Thomson & Putnins], 660

polymorphous ventricular tachycardia during (CR) [Weiskopf & Stead], 392

pulmonary artery catheter migration during (CR) [Johnston, Royster, Choplin, Howard, Mills & Tucker], 258

pulmonary hypertension and noncardiogenic pulmonary edema following (CR) [Latson, Kickler & Baumgartner], 106

cardiovascular

hypothermic, response of cerebral blood flow to changes in carbon dioxide tension during (OA) [Prough, Stump, Roy, Gravlee, Williams, Mills, Hinshelwood & Howard], 576

poor correlation between pulmonary arterial wedge pressure and left ventricular end-diastolic volume after (OA) [Hansen, Viquerat, Matthay, Wiener-Kronish, DeMarco, Bahtia, Marks, Botvinick & Chatterjee], 764

prophylactic nitroglycerin infusions during (OA) [Gallagher, Moore, Jose, Botros & Clark], 785

carotid endarterectomy

transconjunctival O₂ and cerebral blood flow during (CR) [Gibson, McMichan & Cucchiara], 277

eye

and succinylcholine and open eye injury (CO) [Donlon], 525

and succinylcholine and open eye injury (CO) [Jantzen, Hackett & Earnshaw], 524

and succinylcholine and open eye injury (CO) [Libonati, Leahy & Ellison], 525

laser

perforation of main stem bronchus (CR) [Emery], 120

neurologic

intraoperative glucose during (OA) [Sieber, Smith, Kupferberg, Crosby, Uzzell, Buzby, March & Nann], 453

ophthalmology

patient movement during anesthesia in, unusual cause of (CR) [Adragna], 89

outpatient

comparison of alfentanil with fentanyl for (CR) [White, Coe, Shafer & Sung], 99

podiatry

intravenous regional anesthesia for (CR) [Nusbaum & Hamelberg], 91

position for

head and chin cushioned face-rest for (CO) [Ray], 301

thoracic

high-frequency, small-volume ventilation during (OA) [Glenski, Crawford & Rehder], 211

vascular

pharmacokinetics of fentanyl in patients undergoing (OA) [Hudson, Thomson, Cannon, Friesen & Meatherall], 334

Surgical anesthesia, See under Anesthesia

Sympathetic block, See under Anesthetic techniques

Sympathetic nervous system

adrenal medulla

halothane inhibition of receptor-mediated calcium influx in primary culture of cells of (OA) [Yashima, Wada & Izumi], 466

adrenergic receptors

isoflurane, interaction in isolated rat parotid gland (OA) [Östman, Henriksson, Sundström & Reiz], 734

alpha-adrenergic agonist

clonidine

premedication and fentanyl requirements (OA) [Ghignone, Quintin, Duke, Kehler & Calvillo], 36

beta-adrenergic blocker

heart rate and blood pressure effects of, after ketamine induction and intubation (OA) [Gold, Brown, Coverman & Herring-ton], 718

beta-adrenergic receptors

blockade, and tolerance to potassium (CO) [Torretti, Gerson, Oats & Lange], 846

catecholamines

and β -adrenoceptor blockade and tolerance to potassium (CO) [Torretti, Gerson, Oats & Lange], 846

and halothane inhibition of receptor-mediated calcium influx (OA) [Yashima, Wada & Izumi], 466

maternal and fetal effects of, in gravid ewes (OA) [Hood, Dewan & James], 610

test dose of, epidural injection of, monitoring maternal heart rate during (CO) [Chestnut & Wiener], 839

uptake

neuronal and extraneuronal, differential effects of ketamine isomers on (LR) [Lundy, Lockwood, Thompson & Frew], 359

clonidine

rectal, in perioperative period (CR) [Johnston, Nicholas, Lawson, Wallfisch & Arens], 288

effects of meperidine spinal anesthesia on (CR) [Cozian, Pinaud, Lepage, Lhoste & Souron], 815

epinephrine

maternal and fetal effects of, in gravid ewes (OA) [Hood, Dewan & James], 610

test dose of, epidural injection of, monitoring maternal heart rate during (CO) [Chestnut & Wiener], 839

- esmolol**
heart rate and blood pressure effects of, after ketamine induction and intubation (OA) [Gold, Brown, Coverman & Herring-ton], 718
- Horner syndrome**
incidence of, with interscalene brachial plexus block and man-agement of head injury (CO) [Al-Khafaji & Ellias], 127
- phenylephrine**
in comparative study, of dilation of nasal passage (CR) [Sessler, Vitaliti, Cooper, Jones, Powell & Pesko], 274
and plasma levels of lidocaine, effects of, on heart in conscious dogs (OA) [Edouard, Berdeaux, Langlois, Samii, Giudicelli & Noviant], 316
- propranolol**
blockade with, in study of effects of inhalation anesthetics on atrioventricular conduction times in dogs (OA) [Atlee, Brownlee & Burstrom], 703
- Raynaud's phenomenon**
neurolytic lumbar sympathetic block in treatment of (CR) [Skeehan & Cory], 119
- sympatholytic agents**
nitroglycerin
improves venous cannulation (CO) [Moore], 533
- T**
- Tamponade, See under Heart**
- Temperature**
body
passive heat and moisture exchangers, do they keep the patient warm? (CR) [Haslam & Nielsen], 379
- heating**
and simple method for warming intravenous fluid in infants (CO) [Rosen, Rosen & Broadman], 133
- Teratogenicity, See under Pregnancy; Toxicity**
- Teratology, See under Anesthesia; Toxicity**
- Tetracaine, See under Anesthetics, local**
- Theories of anesthesia**
and actions of general anesthetics on acetylcholine receptor-rich membranes from *Torpedo californica* (OA) [Firestone, Sauter, Braswell & Miller], 694
dual effect of local anesthetics on rhodopsin (OA) [Mashimo, Abe & Yoshiya], 447
and membrane fluidizing effect of anesthetics (OA) [Ueda, Hirakawa, Arakawa & Kamaya], 67
- Thermodilution, See under Measurement techniques**
- Thermodilution determination, See under Heart**
- Thiamylal, See under Anesthetics, intravenous**
- Thiopental, See under Anesthetics, intravenous**
- Thoracic anesthesia, See under Anesthesia**
- Thoracic surgery, See under Surgery**
- Thyroid, See under Hormones**
- Tolerance to analgesics, See under Analgesics**
- Tongue, See under Airway**
- Toxicity**
anesthetics
cell proliferation in developing brain after brief anesthetic exposure (OA) [Rodier, Aschner, Lewis & Koeter], 680
- bleomycin**
intravenous, does not alter toxic effects of hyperoxia in rabbits (OA) [Matalon, Harper, Nickerson & Olszowka], 614
- carcinogenicity**
and carcinogen bioassay of nitrous oxide in mice (OA) [Baden, Kundomal, Luttrupp, Mazze & Kosek], 747
- fetal**
of nitrous oxide, halothane, isoflurane, and enflurane in Sprague-Dawley rats (OA) [Mazze, Fujinaga, Rice, Harris & Baden], 339
- free radicals**
increased N-pentane excretion in humans as consequence of (OA) [Morita, Snider & Inada], 730
- lidocaine**
depresses synaptic activity in rat hippocampal slice (LR) [Schurr, Spears, Reid, West, Edmonds & Rigor], 501
seizures induced by, local cerebral blood flow during (OA) [Tommasino, Maekawa & Shapiro], 771
- local anesthetics**
altered perineurial permeability, edema, and nerve fiber injury (OA) [Myers, Kalichman, Reisner & Powell], 29
for obstetrics, efficacy of 1.5% lidocaine with 7.5% dextrose and epinephrine as test dose (CR) [Abraham, Harris, Maxwell & Kaplow], 116
- oxygen**
effects of, in rabbits, intravenous bleomycin does not alter (OA) [Matalon, Harper, Nickerson & Olszowka], 614
increased N-pentane excretion in humans as consequence of (OA) [Morita, Snider & Inada], 730
- teratogenicity**
after brief exposure to nitrous oxide or halothane (OA) [Rodier, Aschner, Lewis & Koeter], 673
cell proliferation in developing brain after brief anesthetic exposure (OA) [Rodier, Aschner, Lewis & Koeter], 590
studies of, of nitrous oxide, halothane, isoflurane, and enflurane in Sprague-Dawley rats (OA) [Mazze, Fujinaga, Rice, Harris & Baden], 339
- Trachea, See under Lung(s)**
- Transconjunctival O₂ monitoring, See under Monitoring**
- Transcutaneous carbon dioxide, See under Carbon dioxide**
- Transcutaneous oxygen, See under Oxygen**
- Transesophageal echocardiography, See under Monitoring**
- Tricuspid regurgitation, See under Heart**
- Trimethaphan, See under Pharmacology**
- Tubes, See under Equipment**
- Tubocurarine, See under Neuromuscular relaxants**
- T-wave abnormalities, See under Heart**
- U**
- Unconsciousness, See under Brain**
- Uterus**
blood flow
and maternal and fetal effects of epinephrine in gravid ewes (OA) [Hood, Dewan & James], 610
- V**
- Vaporizers, See under Equipment**
- Vascular pressures, See under Heart**
- Vascular resistance, See under Lung(s)**
- Vascular surgery, See under Surgery**
- Vasoconstrictors, See under Pharmacology**
- Vasopressin, See under Hormones**
- Vecuronium, See under Neuromuscular relaxants**
- Veins**
cannulation
nitroglycerin improves (CO) [Moore], 533

- fistula**
unexpected, in arm of intravenous drug abuser (CO) [Greene], 842
- jugular**
complications
in external cannulation (CO) [Hey, Mahood & Pietak], 836
external cannulation of, complications in (CO) [Hey, Mahood & Pietak], 836
internal, real-time ultrasonic guidance for percutaneous puncture of (CO) [Yonei, Nonoue & Sari], 830
- venipuncture**, nitroglycerin improves (CO) [Moore], 533
- venous return**
influence of, on baroreflexes during epidural anesthesia (OA) [Baron, Decaux-Jacolot, Edouard, Berdeaux & Samii], 188
- Venipuncture**, *See under Veins*
- Venous entrapment**, *See under Complications*
- Venous return**, *See under Veins*
- Ventilation**
airway occlusion pressure
in prolonged opioid antagonism with nalmefene (OA) [Gal & DiFazio], 175
- carbon dioxide response**
in prolonged opioid antagonism with nalmefene (OA) [Gal & DiFazio], 175
- depression**
influence of naloxone on, following epidural morphine (OA) [Rawal, Schött, Dahlström, Inturrisi, Tandon, Sjöstrand & Wennhager], 194
- drug effects**
in response to diazepam (OA) [Bailey, Andriano, Goldman, Stanley & Pace], 460
effect of, on baseline pulmonary artery temperature (CO) [Gravlee & Johnston], 293
- end-expiratory pressure**
in canine model of bronchopleural fistula (OA) [Mayers, Long, Breen & Wood], 739
- frequency**
in relation to alfentanil concentration in unanesthetized dogs (OA) [Arndt, Bednarski & Parasher], 345
- gas exchange**
in relation to alfentanil concentration in unanesthetized dogs (OA) [Arndt, Bednarski & Parasher], 345
during thoracic surgery (OA) [Glenski, Crawford & Rehder], 211
- high frequency oscillatory**
in canine model of bronchopleural fistula (OA) [Mayers, Long, Breen & Wood], 739
- high-frequency**
during thoracic surgery (OA) [Glenski, Crawford & Rehder], 211
- intermittent positive pressure**
in canine model of bronchopleural fistula (OA) [Mayers, Long, Breen & Wood], 739
- mechanical**
during thoracic surgery (OA) [Glenski, Crawford & Rehder], 211
- monitoring**
See under Monitoring
- nasal resistance**
comparison of 4% lidocaine/0.5% phenylephrine with 5% cocaine and (CR) [Sessler, Vitaliti, Cooper, Jones, Powell & Pesko], 274
- pattern**
for continuous inspiratory resistive and elastic loads during halothane anesthesia (OA) [Moote, Knill & Clement], 582
- pattern of breathing**
and effect of halothane on diaphragmatic function (OA) [Clerque, Viïres, Lemesle, Aubier, Viars & Pariente], 181
- PEEP**
hemodynamic effects of, during continuous venous air embolism in dog (OA) [Pearl & Larson], 724
- positive end-expiratory pressure**
hemodynamics effects of (CO) [Berry], 130
hemodynamics effects of (CO) [Venus, Mathru & Smith], 131
- resistance**
continuous, and elastic loads during halothane anesthesia (OA) [Moote, Knill & Clement], 582
tubular, response to, in normal subjects and postoperative patients (OA) [Weissman, Askanazi, Rosenbaum, Damask, Hyman & Kinney], 353
- work**
tubular, response to, in normal subjects and postoperative patients (OA) [Weissman, Askanazi, Rosenbaum, Damask, Hyman & Kinney], 353
- Ventilators**, *See under Equipment*
- Ventilatory response**, *See under Carbon dioxide*
- Ventricular function**, *See under Heart*
- Verapamil**, *See under Ions, calcium blocker; Pharmacology*
- Volatile anesthetics**, *See under Anesthetics*
- Volume, cardiac**, *See under Heart*
- W**
- Water, pulmonary**, *See under Lung(s)*
- WDR neurons**, *See under Spinal cord*
- Z**
- Zapol, W. M., and Falke, K. J.,**
Acute Respiratory Failure (BR), 136