

AUTHOR CORRECTIONS

For the article by J. K. P. Loke and D. H. MacLennan in the March 1998 issue of ANESTHESIOLOGY (1998; 88(3): 589–600), the authors would like to make the following correction: page 597, table 4, “IVCT: $0.99 \times (1 - 0.936) = 0.927$ ” should read “IVCT: $0.99 \times (1 - 0.936) = 0.06336$.”

For the article by Porter *et al.* in the July issue of ANESTHESIOLOGY (1998; 89(1):79–85), the author would like to make the following correction: table 3 should have appeared as below.

Table 3. Neonatal Respiratory Gas Status

	tcP _{CO₂}		tcP _{O₂}	
	Controls (n = 60)	Fentanyl (n = 54)	Controls (n = 60)	Fentanyl (n = 54)
Intercept (mmHg) (kPa)	39 (11.25) 5.2 (1.5)	37.5 (8.25) 5.0 (1.1)	62.25 (15.75) 8.3 (2.1)	60 (19.5) 8.0 (2.6)
Gradient (mmHg/h) (kPa/h)	-0.525 (0.97) -0.07 (0.13)	-0.225 (1.125) -0.03 (0.15)	1.05 (2.025) 0.14 (0.27)	0.6 (2.475) 0.08 (0.33)
20 min (mmHg) (kPa)	39 (9.0) 5.2 (1.2)	38.25 (6.0) 5.1 (0.8)	63.25 (14.25) 8.5 (1.9)	59.25 (14.25) 7.9 (1.9)
90 min (mmHg) (kPa)	37.5 (6.0) 5.0 (0.8)	38.25 (6.0) 5.1 (0.8)	68.25 (21.75) 9.1 (2.9)	63.75 (15.0) 8.5 (2.0)

Values are mean (SD).