

NOTICE OF WITHDRAWAL

The authors of the article listed below would like to formally withdraw it from publication, since a more complete description of the case described has previously appeared in the journal *Masui*:

Terazawa E, Shimonaka H, Nagase K, Masue T, Dohi S: Severe anaphylactic reaction due to a chlorhexidine-impregnated central venous catheter. *ANESTHESIOLOGY* 1998; 89:1296-8

AUTHOR CORRECTION

A Clinical Investigation authored by Leighton *et al.* published in the April 1999 issue of *ANESTHESIOLOGY* (1999; 90:1039-46) contained an error.

In the last complete paragraph on page 1040, a dose of fentanyl was erroneously presented as 2 mg/ml. The dose should have been expressed as 2 $\mu\text{m}/\text{ml}$.

AUTHOR CORRECTION

A Clinical Investigation authored by De Kock *et al.* published in the May 1999 issue of *ANESTHESIOLOGY* (1999; 90:1354-62) contained an error.

Throughout the manuscript, clonidine doses, which should have been expressed as $\mu\text{g}/\text{kg}$ or as $\mu\text{g} \cdot \text{kg}^{-1} \cdot \text{hr}^{-1}$, were erroneously presented as mg/kg or $\text{mg} \cdot \text{kg}^{-1} \cdot \text{hr}^{-1}$. For example, in the Methods section of the abstract, the correct epidural dose of clonidine was 10 $\mu\text{g}/\text{kg}$ initially followed by an infusion of 6 $\mu\text{g} \cdot \text{kg}^{-1} \cdot \text{hr}^{-1}$. Similar errors can be found in the Methods section (top of page 1355) and in the Discussion (pages 1356 and 1358).